
THE AS (ADMINISTRATIVE SCIENCES) FINANCIAL REPORTING SYSTEM: SOME EXPERIE..(U) NAVAL POSTGRADUATE SCHOOL MONTEREY CA R L BOOKER 27 MAR 86 1/3 AD-A168 841 UNCLASSIFIED F/G 9/2 NL



MICROCOP*

11173

NAVAL POSTGRADUATE SCHOOL Monterey, California





THESIS

THE AS FINANCIAL REPORTING SYSTEM: SOME EXPERIENCE ON PROTOTYPING AND USER INTERACTION

hν

Ronald L. Booker

March 1986

Thesis Advisor: Co-advisor:

Tung Bui

Norman F. Schneidewind

Approved for public release; distribution is unlimited.

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

SECURITY	CLASSI	FICATION	OF	THIS	PAGE

REPORT DOCUMENTATION PAGE								
1a. REPORT SECURITY CLASSIFICATION		1b. RESTRICTIVE MARKINGS						
2a. SECURITY CLASSIFICATION AUTHORITY			3 DISTRIBUTION	A/AVAILABILITY OF	REPO	ORT		
26. DECLASSIF	ICATION / DOV	VNGRADING SCHEDU	LE	Approved is unli	for public mited	rele	ase; di	istribution
4 PERFORMIN	G ORGANIZAT	TON REPORT NUMBE	R(S)	5. MONITORING	ORGANIZATION RE	EPORT	NUMBER(5)
6a. NAME OF	PERFORMING	ORGANIZATION	6b. OFFICE SYMBOL	7a. NAME OF M	ONITORING ORGA	NIZATI	ON	
Naval Pos	stgraduate	e School	(If applicable) Code 54	Naval Pos	tgraduate Sc	hoo1		
6c. ADDRESS (City, State, an	d ZIP Code)	<u> </u>	7b. ADDRESS (CI	ty, State, and ZIP C	ode)		
Monterey	, Californ	nia 93943 - 500	00	Monterey, California 93943-5000				
8a. NAME OF ORGANIZA		NSORING	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER				
3c. ADDRESS (City, State, and	i ZIP Code)	J	10. SOURCE OF	FUNDING NUMBER	S		
	•			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.		WORK UNIT ACCESSION NO.
12 PERSONAL AUTHOR(S) Ronald L. Booker 13a TYPE OF REPORT								
Master's Thesis FROM TO 1986 March 27 211 6 SUPPLEMENTARY NOTATION								
5.5.0	COSATI		18. SUBJECT TERMS (· ·	ident	ify by bloc	(k number)
F ELD	GROUP	SUB-GROUP	DSS, Prototy	pes, Adaptiv	ve Design			
13 38578AC7	(Continue on	reverte if necessary	and identify by block i	number)				
Adaptive Design or prototypinghas been suggested as an effective approach for developing and implementing computerbased decision support systems (DSS). The literature on DSS has also snown that adaptive design improves user involvement and satisfaction. This thesis attempts to follow the adaptive design approach to design and implements a dataoriented DSS—the MPS Department of Administrative Sciences (AS) Database Reporting System. The development of the AS Reporting System has helped review the adaptive design strategy. The following findings were derived: —Close participation between end user(s) and the system builder helps to clarify problem issues. —Frequent brief interactions between end user and system developer provide more immediate and better defined reponse, resulting in a more effective prototype. —Unstructured initial planning sessions involving the end user and the system builder could distract the end user from the definition of important initial requirements. A more								
# UNCLAS	SIFIED/UNLIMIT	ED SAME AS F	RPT DTIC USERS	unclassif	ied			
22a NAME O Tung		NDIVIDUAL		22b TELEPHONE 408 646-2	(Include Area Code) 63()	J	OFFICE SY	YMBOL

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) Block #19 structured, issue-oriented approach results in more timely and clearly defined requirements. -User feedback is less intense and critical towards the final phase of the development process. -Prototyping is cost-effective, at least for the first phases of system enhance--Prototypes are disposable systems.

Approved for public release; distribution is unlimited.

The AS Financial Reporting System: Some Experience on Prototyping and User Interaction

27

Ronald Lloyd Booker Captain, United States Larine Corps 3.3., United States Mayal Adademy, 1977

Submitted in partial fulfillment of the requirements for the degree of

Misern of dolance in Emportance avaisable

from the

HAVAL POSEGRADUATE SCHOOL Harda, 1935

Author:	bull Borber	
	Ronall L. Booker	
Approvad by:	TUNG BLII	
	Jung Bui, Phasia Mirispry	1
	Johnan 3. Sannai La ribni, Fishasia 20-12 risac WM NOM	
	Tillis R. Green Tr., Chairman, Department of Auministrative Estenses	
	Viell T. Market	
	ineale 7. lurain. Dean of Informacion and Policy Sciences	
	Access For	
	NTIS CRASI A DITIC TAB U unno i ced U. in cution	J
	Ву	
	3 Diet & pient	• •

Abstract

Adaptive Design or prototyping has been suggested as an effective approach for developing and implementing computer-based decision support systems (DSS). The literature on DSS has also shown that adaptive design improves user involvement and satisfaction. This thesis attempts to follow the adaptive design approach to design and implements a data-oriented DSS — the NPS Department of Administrative Sciences (AS) Database Reporting System. The development of the AS Reporting System has helped review the adaptive design strategy. The following findings were derived:

- Close participation between end user(s) and the system builder helps to clarify problem issues.
- Frequent brief interactions between end user and system developer provide more immediate and better defined response, resulting in a more effective prototype.
- Unstructured initial planning sessions involving the end user and the system builder could distract the end user from the definition of important initial requirements. A more structured, issue-oriented approach results in more timely and clearly defined requirements.
- User feedback is less intense and critical towards the final phase of the development process.
- Prototyping is cost-effective, at least for the first phases of system enhancements.
- Prototypes are disposable systems.

TABLE OF CONTENTS

			Page
I.	INT	RODUCTION	6
II.	THE	ADAPTIVE DESIGN APPROACH TO DSS DEVELOPMENT	8
	A.	WHAT IS ADAPTIVE DESIGN?	3
	В.	CHARACTERISTICS OF ADAPTIVE OR EVOLUTIONARY	
		DESIGN	9
	c.	A MODEL FOR PROTOTYPING OR ADAPTIVE DESIGN-	10
III.	THE	AS DATABASE REPORTING SYSTEM	12
	Α.	BACKGROUND	12
	В.	METHODOLOGY: THE "DIARY APPROACH"	13
	C.	THE EVOLUTION OF THE AS REPORTING SYSTEM	
		ARCHITECTURE	17
.VI	RES	ULTS AND DISCUSSION	21
	Α.	SOME OBSERVATIONS ON THE EXPERIMENT	21
	В.	RECOMMENDATIONS FOR FUTURE EXTENSIONS	23
v.	CON	CLUSIONS	25
vI.	APP	ENDIXES	28
	Α.	AS DATA BASE REPORTING SYSTEM USER'S MANUAL	23
	в.	DIAGRAM OF THE AS SYSTEM'S MENUS	
	C.	AS SYSTEM'S MENUS	56
	D.	SAMPLE AS SYSTEM REPORTS	72
	E.	AS DATA BASE REPORTING SYSTEM PROGRAMMER'S	
		MANUAL	
	F.	DATA FLOW DIAGRAMS	
	G.	STRUCTURE CHARTS	
	Н.	DATA DICTIONARY	114
	I.	PROGRAM LISTINGS	
	J.	LIST OF TABLES	
		r of references	207
VIII.	3131	LIOGRAPHY	208

I. INTRODUCTION

The purpose of this thesis is twofold. First, it designs, develops and implements a data-oriented financial decision support system for the Department of Administrative Sciences (AS) of the U.S. Naval Postgraduate School — the AS Database Reporting System. Second, throughout the development of the system, this thesis seeks to derive some observations on the effectiveness of the adaptive, or prototyping, approach in building an end user-oriented computerized decision support system.

There are at least two factors that have motivated this thesis. First, the increasing need of managing complex financial data within the Administrative Sciences Department has triggered interest among the department managers to automate their financial system. A computerized system is expected to provide accurate and timely information handling. It can also generate fast and standardized reports which are prohibitively labor intensive if done with the manual system.

Second, the literature on Decision Support Systems (DSS) often advocates that the traditional approach for developing a data processing system is not appropriate for prototyping. In fact, a conventional development life-cycle consists of eight phases. These include: system feasibility, software plans and requirements, product design, detailed design, code, integration, implementation and operations and maintenance [Ref. 1]. Such an approach requires full knowledge of the nature of the proolem. Furthermore, it has revealed to be costly in time and effort. Since DSS requirements constantly change during the development process, using the traditional life-cycle model can be risky.

This thesis is organized as follows. Chapter II discusses the adaptive design approach to DSS development. Characteristics of the prototyping approach are addressed. Also, the model for prototyping is presented. Chapter III gives an account of the prototyping experiment with the AS Database Reporting System. The "diary approach" is adopted to record the evolution of the system architecture from the user interaction perspective. Chapter IV discusses some observations based on the prototyping experiment and provides suggestions for possible future extensions of the proposed system.

Three phases of iterative design are examined. Technical reports on the AS Database Reporting System are described in the appendices. Appendix A reproduces the user's manual. It provides instructions for the casual users. Diagrams of the system interface, reproduction of the system menus, and sample hard copy reports are respectively given in Appendices B, C and D. Appendix E contains detailed technical instructions intended for the database administrator and the system programmer. Data Flow Diagrams, structured charts, a data dictionary, program listings and lists of tables are respectively given in Appendices F, G, H, I and J.

II. THE ADAPTIVE DESIGN APPROACH TO DSS DEVELOPMENT

A. WHAT IS ADAPTIVE DESIGN?

Conventional design strategy in data processing systems invariably assumes that the requirements of the system can, and should, be determined prior to the implementation of the system. This requirements analysis can be achieved by performing logical analysis and investigation of user information processing needs and behavior [Ref. 2]. For instance, the requirements for an accounting system could be determined by examining accounting procedures and interviewing competent accountants.

However, such a procedure cannot be applied to building a DSS. A DSS can be defined as a computer-based system that helps its user(s) in solving ill-defined or unstructured decisions. As a consequence, the system designer cannot—and eventually should not — have or be required to have a complete understanding of the user's needs prior to the design and implementation process. Rather, he should expect that the emergence of unanticipated informational needs is a continuing part of the design and development effort.

Thus, adaptive design in a DSS involves the role of learning in the DSS building process. To reduce the risk of not being able to reach (uncertain) final objectives, DSS researchers often argue for adopting the prototyping strategy. This consists of focusing the development effort on building a quick and working prototype or model that has the most important features or ideas. This early system is next delivered to the end user for evaluation. The users then give their feedback for determining possible enhancements. The system builders study the users' suggestions and attempt to update the prototype accordingly. This interaction

between the user and the analyst continues until a satisfactory prototype is achieved. An important implication of such an iterative and evolutionary process is that both the user and the analyst are expected to make mistakes, but attempt to learn as much as possible from these mistakes.

B. CHARACTERISTICS OF ADAPTIVE OR EVOLUTIONARY DESIGN The process of evolutionary design can be characterized by the following:

1. Remove the Pressure to Do it Right

Keen [Ref. 3] insists that the prototyping goal should be focused on effectiveness rather than on efficiency. It is essential that a system be built, even if it does not have all of the desired features. Such a strategy will help remove some pressure on the system builder. In fact, high requirements of the system reliability could be a gold-plating feature that causes delay and increased costs. The end user often wishes to see a working system -- even at the risk of incompleteness -- to understand what it is all about.

2. A Learning Process

Learning is an integrated part of the design process. It is assumed that the user copes with a semi-structured domain. Some relevant decision-making factors are unknown. Also, the decision making methods are vaguely defined. Prototyping can be used as a learning tool to explore the manner of change in the users' priorities. A good development process should lead to a redefinition of the user's way of analyzing the problem. This would in turn lead to a new way to resolve problems.

3. User Participation

Evolutionary design involves active user participation. The user should provide good and timely feedback to facilitate the ennancement process of early prototypes.

This implies that the DSS user employs the system and evaluates it in light of the merits of the information it provides to support decision making. He is expected to suggest changes in Input/Output formats and the structure of the prototype under development, rank the usefulness of various modules of the current system and to prioritize the usefulness of suggested features to be integrated.

4. Inexpensive Development Effort

Keen and Gampino [Ref. 4] argue that the first prototype should be inexpensive. By its nature, prototyping is a risky venture. Since potential benefits of the would-pe DSS are often unclear, important development cost can hardly be justified. More important, a high initial investment can discourage the user to abort the process.

C. A MODEL FOR PROTOTYPING OR ADAPTIVE DESIGN

Neumann and Jenkins propose a prototype model that consists of four procedures. As shown in Figure I, the first procedure is a design step that attempts to identify the user(s)'s pasic information requirements. A number of requirements analysis approaches were proposed to identify the users(s)'s requirements; the data abstraction approach—the essential features are data and data relationships, and the process simulating approach—both data and processes must be identified in the first step.[Ref. 5]

The second step involves the development of the initial or enhanced prototype which can then be delivered to the user for use and feedback. In the third step, the use of the prototype leads to discussions and suggestions for enhancing the prototype (the fourth step).




Figure 1
A Model for Prototyping

It should be noted however that the interaction between the user and the model is the key issue during the entire process. It is the quality and speed of the interaction between the user and the system developer that dictates the successfulness of the prototyping project.

III. THE AS DATABASE REPORTING SYSTEM

A. BACKGROUND

The Department of Administrative Sciences (AS) of the U.S. Naval Postgraduate School has operated its financial data base manually. With a size of more than one hundred personnel, including faculty and staff, financial operations and planning has required substantial investment in man-With its growing size, there has been a universal recognition to have an computer-based data base management system (DBAS). In March 1984, an information requirements analysis had been explored by Renner [Ref. 6]. This analysis applied the methodology of structured design to derive some suggestions for building a relational DBMS for the AS department [Ref. 7]. In November 1984, a first attempt to implement a DBMS was initiated by a Management Information Systems faculty member (who played the role of the system builder) in collaboration with a departmental management assistant (who played the role of the potential user). KnowledgeHan (K-Man) relational Data Base Hanagement System was adopted as the system generator. K-Man was chosen because of its flexible relational database concept and the possibility to perform spreadsheet analysis and graphics. It also leaves room for the trained end user to manipulate the DBMS command language. Extensive interaction between the two interested parties has lead to a thorough requirements analysis and system specifications. Also, a few data tables and displayed screen interfaces were developed to test the feasibility of using K-Man as the system generator.

B. METHODOLOGY: THE "DIARY APPROACH"

Ginzberg argues for a "Diary Approach" to observe the relationship between the user and the system designer [Ref. This approach has proven useful in recording the evolution of the systems modifications and user satisfaction. The diary approach consists of using a log book to systematically record the history of the DSS development process. Its records the evolution of the system due to modifications requested by both the system builder and the users. 2 describes the three elements involved in the adaptive design of the AS database reporting system. Among the users, the management assistant and the faculty advisor maintained close interaction with the graduate student. The interaction with the faculty advisor primarily dealt with conceptual designs and technical issues. The interaction between the management assistant and the graduate student was almost It focused on the system development and the interface format; i.e., screen design and reports. The interaction with the administrative assistant and interested office clerks was casual. They provide feedback on the quality of the user interface.

Table I reports historical entries on the iterative design process. The changes were either initiated by the user (i.e., the management assistant) or the system developer (i.e., the author). The definition of the acronyms used in the table can be found in Appendix H.




Figure 2: The Elements of the Adaptive Design of the AS Database Reporting System

TABLE I. DIARY ENTRIES

(NITIATOR D = DEVELOPER, U = USER)	ACTION
3 Sep	D	Worked on forms to add data to the personnel history (PHISTORY) tables.
4 Sep	ם	•
5 Sep	D	Same as above. K-Paint directions were misread; caused 2 days delay. Created three PHISTORY reports for user to confirm design.
8 Sep	ם	Continued working on PHISTORY reports.
9 Sep	C	N
26 Sep	ū	User had problems accessing files. This was caused by a hardware problem. Created three menus; the main, expenses and data base menus.
29 Sep	ū	Modified/created 5 reports.
30 Sep	D	Modified the PHISTORY menu program and created a program to delete records.
3 Oct	ס	Transferred files to another computer due to hardware problems. (Backed-up and reconfigured system.)
8 Oct	D	Everything is at the same state as 2 weeks ago - lost 2 weeks due to Backup problems.
15 Oct	D	Attempted to pass an ICF program in the deletion modules Not successful.
15 Oct-	13 Nov D	Attempted to get around above pro- blem by using MACRO(s) Not successful. Decided to use case statements if necessary in modules. This was successful.

13 Nov	D	Corrected PHISTORY report. Page headers were not displayed. Error was in reading K-Paint documentation.
15 Nov	D	Attempted to speed-up processing by RELEASING modules Not successful.
18 Nov	D	RELEASE and MACRO(s) are not needed in the code.
20 Nov	σ	Trying to determine a method of printing the last date that a table was updated on a report Not successful.
21 Nov	D	Demonstrated system for user.
26 Nov	ū	Made the system more user friendly (error detection) by using loops in programs.
l Dec	D	Working on menus for the reports generators.
2 Dec 11 Dec	U U	Modified PHISTORY report. Created Outstanding TO(s) Report.
12 Dec	U	Modified forms for entering data from mixed case to upper case. Added a RATE field to PHISTORY table to ease computation of virtual fields.
14 Dec	D	Created forms to enter data and modified programs to display menus.
7 Jan	ס	Modified programs to load tables and forms once to speed up processing.
9 Jan	D	Created form to enter data.
14 Jan	D	7 Jan modifications were not successful. Deleted modifications.
15 Jan	D	Demonstrated system to user. Implemented system.

18-26 Ja	an U	Modified and created programs to allow user to access specific records. Required creation of 83 more files. (perform files, forms and error messages)
3 Feb		Modified the personnel funding report.
6 Feb	σ	Deleted INDIRECT.DOC# from INDIRECT entry forms and added SEGMENT and SERIALS to INDIRECT table.
	D	Modified the DELTREC2.IPF module so that the last record in a table will not be deleted if a match of the deletion criterion is not found.
13 Feb	ū	Took INDIRECT.EXTENDED out of tables not needed.
16 Feb	ū	Added PURCHASE.QTY to entry forms.
17 Feb	U	Added INDIRECT.SERIALS and INDI- RECT.SEGMENT to entry form. Deleted INDIRECT.DOC# from same.
19 Feb	υ	Found two different data values called INDIRECT.DOC#. Placed INDIRECT.DOC# back in entry form.
	ט/מ	Took financial analysis option out of MAINFRM. IPF (not enough time to develop and implement). Crossed modified system over to production.

With the "Diary Approach" any major design decisions or accomplishments, and significant problems or events were logged. As the design of the system progressed, the majority of the actions were initiated by the user(s).

C. THE EVOLUTION OF THE AS REPORTING SYSTEM ARCHITECTURE

Departing from the original architecture, this section discusses the required modifications that occurred throughout the implementation and testing processes. During the development process, it has been noticed that the user has actively participated in the creation of the DBMS prototype.

Such participation has triggered numerous generations of new requirements and consequently modifications to the originally planned design. The purposes of this thesis are (i) to expand the initial system, a working out incomplete data base system that is used as a management planning tool, and (ii) to observe the evolutionary development of the DBAS in terms of user needs and satisfaction.

1. The Initial AS Reporting System Architecture

The initial AS Reporting System Architecture (Figure 3) was based on four income accounts; OPTAR, 10% Indirect, other sources of income and research funds, and four expense accounts; miscellaneous expenses, travel, personnel salary and equipment/supplies. Figure 3 shows that the income accounts had varied expenses; i.e., miscellaneous expenses, travel and equipment/supplies may be funded by the OPTAR account. Additionally, there may be major restrictions on expense funding; i.e., equipment/supply purchases over \$3000 may not be funded by the OPTAR account, personnel salaries may not be funded from the OPTAR account.




Figure 3: The Initial AS Reporting System Architecture

2. The First Modification Stage

During the first modification stage, an additional income account, OPTAR balance, and an additional expense account, travel request, were deemed necessary to provide the user(s) with more financial information.

3. The Second (Final) Modification Stage

During this stage, accounts (data tables) were added and deleted from the AS Reporting System's Architecture. The two data tables added during the first modification stage, OPTAR Balance and travel request were deleted. The OPTAR and travel accounts, with minor modifications, could provide the same information as the before mentioned deleted tables. Two tables were added, one table contained personnel information (pay grade, job status, etc.) and another contained an inventory of property. Appendix J is a list of the current data tables and their respective data fields. The following are major changes resulting from user interaction:

- Redefinition of field names and types to increase consistency throughout the data base and deletion or addition of data fields; redefined fields -- 7, deletion of fields -- 12, addition of fields -- 16.
- Menu and form formats.
- 3. Change of instructions on menus and forms.
- 4. Compromise of report formats to fit both users; the more knowledgeable user wanted more information while novice users wanted less.
- 5. The ability to select records based on specific field values.

IV. RESULTS AND DISCUSSION

This thesis involved the design and implementation of a data-oriented decision support system to support financial decision making of the AS Department.

A. SOME OBSERVATIONS ON THE EXPERIMENT

1. Close Participation Between the End User(s) and the Systems Builder

Adaptive Design allows the user to actively participate in the evolution of the system characteristics. Three basic changes in the system design occurred during the prototyping effort. First, some data tables were redesigned. Field names and sizes had been redefined. A number of tables were combined. Second, additional program modules were added to coordinate various systems functions using menu structures. The latter render the sequencing of program modules transparent to novice users. Third, the use of the system (i.e., K-Man) command language was increased.

In a more conceptual level, the cross examination of the prototype give rise to better understanding of the issues related to the financial system. The experience with the implementation of the AS Reporting System also confirms some early findings that argues prototyping as a catalyst to participative design, learning, and organizational development [Ref. 9]. In effect, it has been observed that the main participating user has gained increasing interest in the understanding and design of systems. Also, the early success of the prototype has generated some redesign of office tasks.

2. Interaction Time

The more frequent the interaction time between the user and the developer, the more effective the prototype.

Delayed feedback has proven to slow down the learning process and weaken the participants' enthusiasm. Time pressures could be used as a strategy to speed up the interaction process.

3. Planning Sessions

Unstructured initial planning sessions involving the end user and the system builder could distract the end user from the definition of important initial requirements. more structured, issue-oriented approach results in more timely and clearly defined requirements. This is even accentuated when there is more than one participating user and/or novice users. Individual differences sometimes have produced conflicting design suggestions. However, effective group discussion have proven to avoid the risk of designing system features that reflect strong biases from a single Henderson [Ref. 10] raises the potential risk of loss of creativity when dealing with multiple participa-Due to little group interaction, and more importantly, to the large disparity in the degree of participation, it was not possible to confirm nor disconfirm the impact of group interaction processes and user creativity.

4. <u>User Feedback is Less Intense and Crucial Towards</u> the Final Phase of the Development Process

The user feedback is expected to end when a satisfactory system is delivered. It seems to be unrealistic to expect the end user -- even though he/she has become more computer literate -- to keep expanding the system. Since the user has captured the capabilities as well as limitations of the system, he/she can more or less precisely formulate requirements for future enhancements. At this

stage, the need of sustained user feedback seems to be less crucial -- requested modifications are normally minor.

5. Cost Effective

Prototyping is cost effective, at least for the first phase of system enhancements. The effort spent on developing a successful and complete module has allowed duplication of programming procedures to similar modules in later version of the prototype. However, it is not clear that the economies of scale effect would continue to implement more complex integrated modules in the future.

5. Prototypes are Disposable Systems

At least for the user who has participated throughout the entire design and implementation process, the prototype has become to a certain degree disposable. Since the participative user has become increasingly computer literate, some of the initially requested DSS features have revealed to be less useful. In fact, the ease-of-use and structured features of the system has reduced the DSS to perform only for a well-defined set of data manipulation and reporting. To perform unusual data manipulation, a trained user can now directly use the DSS generator command language. However, this seems to be true only for the user who has worked closely with the development of the system. Other users, who are primarily casual users and non computer experts, are expected to find the system useful.

B. RECOMMENDATIONS FOR FUTURE EXTENSIONS

By definition, the adaptive design should help the system to be progressively expanded. The current system primarily handles data management and report generation. There are a number of possible enhancements that could be added to the current release of the AS database reporting system.

1. Forms Handling

The AS department office information system operates via a multiplicity of predesigned paper forms such as travel orders, purchasing stubs, reimbursement forms, etc.. These forms have been processed by office clerks using typewriters. Additional report procedures could be added to the current release of the AS Database Reporting System to generate these stub from the computer printers. Such a capability would significantly improve the office productivity by reducing typing errors, and duplication of effort in twice entering the same set of information using both the typewriter and the computer.

The generation of office forms for the printer can be done by using the K-Report report generation feature to replicate forms. This could be done without much difficulty. It should be noted however that continuous customized computer forms must be ordered.

2. Financial Planning

To support financial planning, data that reflect the balances of various expenses accounts should be rapidly computed. Also, the user should be able to import selected data from data tables to handle spreadsheet analysis. The use of spreadsheets would allow the user to perform what-if analysis on various financial decisions. Furthermore, a trend analysis can be supported by the system by displaying various graphical charts of key financial figures. To implement the financial planning capability to the system, the following steps are suggested:

- 1. Join relevant financial data tables together.
- Write procedures to compute conditional aggregate values.
- Import aggregate values into the K-Man spreadsheet.
- 4. Describe procedural steps for the user to manipulate spreadsheet functions.
- 5. Impora data from the spreadsheet to the K-Graph feature for graph generation.

3. Regulation Engineering

As with any governmental agency, the financial decision making process has to strictly follow the laws and regulations determined by the Federal Government. regulations include travel expenses (e.g., 10% money cannot be used for Invitational Travel Order), personnel (e.g., the OPTAR account cannot be used for personnel salaries), and equipment purchases (e.g., sole source justification is needed for expenses whose amount is more than one thousand dollars; purchase using OM & N funds cannot exceed three thousand dollars). The responsibility to make sure that financial decisions are legal relies solely on the user. Due to the complexity and diverseness of regulations, it would be useful that the system can store some knowledge in the system. The latter can be used as a internal comptroller that instantaneously checks the legal aspect of all financial transactions.

The knowledge on various legal issues and financial practices could be acquired and integrated into the current AS database reporting system by using GURU; an off-the-shelf expert system development tool and a by-product that can be fully interfaced with K-Man.

V. CONCLUSIONS

The purpose of this thesis was twofold:

- To use the adaptive or prototyping approach to implement a data-oriented DSS for cracking financial transactions of the Naval Postgraduate School's Department of Administrative Sciences.
- 2. To derive from the system development, some observations on the impact of the prototyping approach on systems design.

These two objectives have been achieved. First, the AS Database Reporting System has been used since January 1936. The system has gained in usage as the system has benefited from enhanced capabilities. Also, the number of systems users has also increasing. Travel clerks and purchasing clerks begin to use the system on a regular basis. Various members of the department also use the system on a casual basis via the Management Assistant who is currently the database administrator. Second, this thesis confirmed some of the early results found recently on the DSS literature regarding the DSS design strategy.

The results of this study was reported both in the main body of the thesis and the appendices. Chapter I described basic concepts and issues relating to prototyping. Chapter II reported the development process of the AS Database reporting system in light of the adaptive design. The "Diary Approach" was adopted to record development activities and the interaction between the user and the system developer. During the development process, close interaction with the user has lead to three modifications of the AS Reporting System Architecture. Chapter III analyzed and discussed the results of the experiment. Some suggestions for future extensions of the current database were also presented. The integration of spreadsheet analysis, graphical displays, and

a knowledge-based system to the current version of the AS Database Reporting System would greatly improve the decision support role of the implemented financial system.

VI. APPENDIXES

APPENDIX A ADMINISTRATIVE SCIENCES (AS) DATA BASE REPORTING SYSTEM

USER'S MANUAL

TABLE OF CONTENTS

	•	Page
I.	INTRODUCTION	29
II.	PRINCIPAL USERS	30
III.	OPERATION OF SYSTEM	31
	A. LOCATION	31
	B. START-UP	31
	C. EXIT	32
	D. DATA MANIPULATION	33
	E. PRINTING PREDEFINED REPORTS	36
IV.	TABLES	37
	A. SOURCES OF DATA FOR TABLES	37
٧.	ERRORS AND ABNORMAL PROCESSING	51

I. <u>INTRODUCTION</u>

The purpose of this user's manual is to guide the first or casual user to get acquainted with the operations of the Administrative Sciences (AS) Data Base Reporting System (the AS System). The current version of the AS System is an interactive, menu driven data base management system. This system is used to input, edit and store the U.S. Naval Postgraduate School's Administrative Sciences Department's financial data (i.e., the AS Department's OPTAR, data relative to the AS Department's indirect cost and research account, and the Department's equipment inventory) and to create financial reports for budgetary planning. Because this is a menu driven system, prior programming knowledge is not required to use the AS System.

For the sake of simplicity, aspects that are related to the conceptual design and technical specifications of the AS System are described in separate documents -- the Programmer's Manual and the thesis titled "The AS Financial Reporting System: Some Experience on Prototyping and User Interaction"; written by R.L. Booker.

This manual is organized as follow. General and most frequently asked information are provided in chapters I through III while more specific and less used information are provided in chapters IV and V.

II. PRINCIPAL USERS

The principal users of this system are expected to be the AS Department's Support Services Supervisor, Management Assistant, Travel Clerk and Procurement Clerk. The Management Management Assistant is the AS System's Data Base Administrator (DBA). All request or suggestions for changes and major problems should be referred to the Data Base Administrator.

Table I indicates some functions that the AS System can currently provide to support the tasks of each of the above mentioned users.

USERS	DUTIES	SYSTEM SUPPORT
Support Services Supervisor	Supervises, plans and coordinates the department's support functions and clerical support.	Status update on personnel.
Management As- sistant	Interprets reports of all financial receipts, expenditures and records. Identifies contributing sources and makes comparisons to establish budget trends.	Updates financial balances from purchase and travel expenses reports.
Travel Clerk	Prepares and manages all travel related documents for department. Coordinates and manages all travel related arrangements.	Outstanding TO(s) report
Procurement Clerk	Receives requests for department procure-ment.	Requisition Status and Inventory reports

TABLE I. SYSTEM FUNCTIONS

III. OPERATION OF SYSTEM

A. LOCATION

The System is resident on the IBM-PC XT in room Inger-soll 230.

B. START-UP (BOOT-UP)

- 1. Place the provided DOS version 2.1 diskette in floppy drive (slot) A of the PC; the left drive in Figure 1.
- 2. The computer and printers are connected to a toggle switch under the computer table. The on-off switch on the computer should always be in the on position. Turn the toggle switch on to turn the computer and printer on. The computer will run its system's checks. (Steps 1 and 2 are considered a cold start) Note the warm start procedures below.
- 3. When the C> prompt appears, type in KMAN MAINMEN.
- 4. When prompted, type in your name and password.
- 5. When the AS System menus appear, make your menu selections.

Narm Start Procedures:

If the power has been previously turned on and the provided DOS version 2.1 diskette has been previously loaded, steps 1 and 2 of the start-up instructions may be ignored. Instead, together press the two keys marked <u>CONTROL</u> and <u>ALT</u>, and then the key marked <u>DELETE</u> (This is considered a warm start.). Now perform steps 3 through 5.

C. EXIT

- 1. Select the last option in the main menu to exit the AS System.
- 2. Turn the toggle switch off. (power off)
- 3. Take the diskette out of the computer.






Figure 1. IBM PC

D. DATA MANIPULATION

All of the table manipulation instructions are displayed on BLUE menus. The following options are available for each table:

- browse a table	: allows viewing of all the
	records in a table

- update a record	: allows modifications of
-	the contents of records
	given specific selection
	criterion

- delete a record	: allows the deletion of a
	record from a table based on
	specific criterion

 return to calling menu 	: will display	the	next
	higher level menu		

Appendix B is a chart of the AS Systems menu's hierarchy and Appendix C displays the AS System's Menus.

1. To View All of the Records in a Table.

Select the "browse a table" option in the specific table menu. A form will appear displaying the first record within the table. The table is sorted based on a predetermined requirement. The bottom of the form contains instructions for moving the cursor on the form and for viewing the prior or next record. If an attempt is made to display pass the last record in a table, the cursor will move to the BOTTOM LEFT corner of the screen and the table's menu will be displayed.

Note -- Pressing ESC in the BOTTOM LEFT corner pelow.

2. To Update a Record or Group of Records in a Table.

Select the "update a record" option in the specific table's menu. A form will appear requesting the entry of a

specific value that will select only the records containing that exact value. Enter the selection value.

- a. If a record meets the selection value criterion, the only record, or the first record, that meets the selection criterion will be displayed on a form. The bottom of the form contains instructions for moving the cursor on the form and for viewing the prior or next record that meets the selection criterion. If an attempt is made to display pass the last record that meets the selection criterion, the cursor will move to the BOTTOM LEFT corner of the screen and the table's menu will be displayed.
- o. If a record does <u>not meet</u> the selection criterion, the following message will be displayed "No records satisfy this request". The table's menu will then be displayed. Confirm that the selection value was entered or spelled correctly by selecting the "browse a table" option.

 Repeat the steps to update a record. If the problem continues, notify the AS System Administrator.

Note - Pressing ESC in the BOTTOM LEFT corner below.

3. To Add a Record.

Select the "add a record" option in the specific table's menu. A form will appear in which the data for a specific record is entered. The form contains instructions for moving the cursor on the form.

Note - Pressing ESC in the 30TTOM LEFT corner below.

4. To Delete a Record in a Table.

Select the "delete a record" option in the specific table's menu. A form will appear requesting the entry of a selection value that will enable the display of only the record(s) containing that selection value. Enter the selec-

tion value. Another form will appear confirming deletion of a record. If \underline{Y} is entered, you are <u>committed to deleting</u> a record. If \underline{N} is entered, the table's menu will be displayed and no record(s) will be deleted.

If <u>Y</u> is entered for deleting a record and a record meets the selection value, the only record, or the first record, that meets the selection criterion will be displayed on a form. The bottom of the form contains instructions for moving the cursor on the form and for viewing the prior or next record that meets the selection criterion. Place the cursor in the <u>TOP LEFT</u> corner of the form and press the <u>ESC</u> key to delete a record. ONLY the record that is displayed when the <u>ESC</u> key is pressed will be deleted. After the record has been deleted, the table's menu will be displayed.

Note - Pressing ESC in the BOTTOM LEFT corner below. WARNING

If more than one record meets the selection criterion, all of the records that meet the criterion will be able to be displayed and deleted. If you attempt to display pass the LAST record that meets this criterion, this record will be DELETED without the requirement to press the ESC key. Therefore, check the displayed record to ensure that it is not the record for deletion before attempting to display the next record. Remember, the LAST record that matches your selection criterion will be DELETED if displaying pass the LAST record is attempted.

Pressing ESC in the BOTTOM LEFT Corner.

If \underline{ESC} is pressed while the cursor is in the 3OTTOM LEFT corner, the following message will appear: FEXIT or FASORT hit - are you sure (Y/N)?

- Y will exit the AS System.
- N will display the table's or report's calling menu.

E. PRINTING PREDEFINED REPORTS

For the current version, five reports have been generated and could be automatically invoked. These include the Quarterly Inventory, Outstanding TO(s), Personnel Funding, Personnel History and the Requisition Status reports. Appendix D contains samples of the AS System's Reports. The menus for REPORT printing are colored BROWN. Select the menu containing the report that is required to be printed. ENSURE that the printer is CONNECTED to the computer and turned ON. Select the option for the report that requires printing. (Due to numerous sorts involved in printing of the Personnel Funding Report, there is a 1-3 minute wait before the report is printing.) After the report has been printed, the calling menu will be displayed.

Note -- If printing of a report is attempted while the printer is not on or connected to the computer, an error message will be displayed. Connect the printer and turn it on. Now attempt to print the report.

Note -- All reports are formatted for the <u>NEC 3550</u> printer. Use of other printers will require changes to the AS System's programs. Notify the DBA if this is necessary.

IV. TABLES

The AS System's data is stored in the following tables:

- 1. Indirect information on research and other reimbursable sources of funds and resulting Indirect Costs to Department
- 2. OPTAR contains information on Department's operating budget
- 3. Other contains information on other sources of Department funding
- 4. Personnel Funding contains personnel expense data
- 5. Personnel History contains personnel data for staff positions within the AS Department
- 6. Purchase contains data on Department and research purchases
- 7. Travel Expenses Department and Research travel expenses

A. SOURCES OF DATA FOR TABLES Indirect Table:

- entry date date record entered into the AS System
- status if research, pending when first entered into AS System and changed to funded when funding document received from Comptroller
 - if other reimoursable, funded
- principal if research, last name of principal investigator on proposal
 - if other reimbursable, from Code 002 Reimbursable Funds Status Report

- sponsor if research, from proposal
 - if other reimbursable, source from Code 002 Reimbursable Funds Status Report
- - if other reimbursable, title from Code 002
 Reimbursable Funds Status Report
- - if other reimbursable, no entry
- - if other reimbursable, no entry
- DEPTIC if research, the amount that the department is expected to receive in indirect cost; calculated from the proposal's budget page (10% of total labor charges)
 - if other reimbursable, no entry
- MIPR if research, MIPR # from Block #5 of funding document (Military Inter-department Purchase Request)
 - if other reimpursable, no entry
- - if other reimbursable, no entry
- authorized if research, actual authorization from Code 002 Memorandum (Funds Authorization Grant/ Change)
 - if other reimpursable, act auth from Code 002 Reimpursable Funds Status Report

- costcode if research, job order from Code 002 Memorandum (Funds Authorization Grant/Change)
 - if other reimbursable, 30 # from Code 002
 Reimbursable Funds Status Report
- expiration if research, exp date from Code 002 Memorandum (Funds Authorization Grant/Change)
 - if other reimbursable, exp date from Code
 002 Reimbursable Funds Status Report
- ICRECD if research, Indirect (Chairman) from Code
 002 Memorandum (Funds Authorization Grant/
 Change)
 - if other reimbursable, ind cost (chair) from Code 002 Reimbursable Funds Status Report
- staff if research, total of all support labor
 labor on proposal's budget page
 - if other reimbursable, no entry
- as if research, amount which the principal appropria- investigator agreed to give the Department tion
 - if other reimbursable, verbal authorization from principal investigator or Department Chairman.
- segment if research, segment from Code 002 Memorandum (Funds Authorization Grant/Change)
 - if other reimbursable, **seg** from Code 002 Reimbursable Funds Status Report
- serials if research, serial *'s from Code 002 Memorandum (Funds Authorization Grant/Change)
 - if other reimbursable, doc #'s from Code 002 Reimbursable Funds Status Report

OPTAR Table:

- entry date date record added to AS System
- date
 date of latest authorization memore received
- authorized total amount authorized; from Code 00 Memorandum (Fiscal Year Interim Operating Target)
- travel amount designated for travel; from Code 00
 authorized Memorandum (Fiscal Year Interim Operating
 Target)
- actual changes in authorized; from reissues of Code 00 memorandum (Fiscal Year Revised Interim Operating Target)
- travel changes in travel authorized; from reissues actual of Code 00 Memorandum (Fiscal Year Revised Operating Target)
- difference (actual authorized); computed by AS System
- travel (travel actual travel authorized); compudiff ted by AS System

- Other Table: comes from verbal authorization of Department Chairman or Associate Chairman for Research and the principal investigator
- entry date date that the record is entered into the AS System
- status status of availability of funds to Department; pending, received, or expired
- expiration Expires from Research Administration printout or Exp Date from Reimbursable Funds Status Report provided at time of agreement
- principal Account from Research Administration printout; or principle investigator from Reimbursable Funds Status Report
- proposal title from Research Administration printout or Reimbursable Funds Status Report
- authorized amount agreed upon for Departmental use
- remarks misc

Personnel Funding Table: all data comes from the department's outgoing Support Employment Schedule

- entry date date of record entry to AS System
- last name from employee, from outgoing Support Employment Schedule Memorandum
- first name from Personnel History table
- fund date date of outgoing Support Employment Schedule Memorandum
- fund from date funding period commences, dates from outgoing Support Employment Schedule Memo-randum
- fund to date funding period terminates, dates from outgoing Support Employment Schedule Memorandum
- # of days number of 8-hour days worked during funding period, days from outgoing Support Employment Schedule Memorandum
- hours number of hours in excess of 8-hour days worked, hours from outgoing Support Employment Schedule Memorandum
- cost code from outgoing Support Employment Schedule
- amount calculated based upon rate and number of days/hours worked
- hours per number of hours employee worked during
 week funding period, hours per week from personnel history

Personnel History Table:

- entry date date record is entered into table
- last name from block # 1 of Standard Form 50 (Notification of Personnel Action
- first from block # 1 of Standard Form 50 (Notification name of Personnel Action)
- DOB date of birth from block # 4 of Standard
 Form 50 (Notification of Personnel Action)
- effective from block # 14 of Standard Form 50 (Notification of Personnel Action)
- status from block # of Standard Form 50 (Notification of Personnel action); T = temporary; P = permanent
- billet # from block # 27 of Standard Form 50 (Notification of Personnel Action); assigned by CPO
- job title from block # 27 of Standard Form 50 (Notification of Personnel Action)
- elements/ date elements and standards set for perforstds set mance review; from current performance appraisal
- work unit assigned by support services supervisor, if any
- - series from block # 29 of Standard Form 50 (Notification of Personnel Action)
 - grade from block # 30 of Standard Form 50 (Notification of Personnel Action)
- step from block # 31 of Standard Form 50 (Notification of Personnel Action)

- expire date of expiration of temporary appointment, from block # 18B of Standard Form 50
 (Notification of Personnel Action)
- rate
 value automatically computed by the System
- remarks misc

Purchase Table:

- entry date date that the record is entered into AS

 System
- document # from block # 36-43 of DD Form 1348 (Requisition System Document)
- costcode or JO#, from block # 46-50 of DD Form 1348 (Requisition System Document)

- stock # or part #, from block # 8-22 or Remarks of DD Form 1348 (Requisition System Document)
- priority from block # 60-61 of DD Form 1348 (Requisition System Document)
- RDD required delivery date, from block # 62-64 of DD Form 1348 (Requisition System Document)
- code from the following department codes:
 - LO; transportation of things (Federal Express)
 - MR; rental of equipment
 - PM; maintenance of minor property
 - PP; maintenance of plant property
 - QH; honoraria
 - QT; registration fees
 - TS; consumable supplies
 - NM; minor property acquisition
 - WMC; computer equipment/accessories
 - WP; plant property acquisition
 - WPC; computer equipment
 - YP; commercial printing

- requestor last name of individual who requested purchase, from Block # of DD 1348 (Requisition System Document)
- PO# purchase order # from Block # 2 of DD 1155 (Purchase Order)
- received date item received, from receiving copy of DD 1348 (Requisition System Document)
- firm final price, from Block U of DD 1348 (Reprice quisition System Document) or Block # 23 of
 DD 1155 (Purchase Order)
- serial if a plant account item, from equipment
- pa# plant account #, from inventory records
 forwarded by receipt control
- location location of plant account equipment, from
- qty from Block # of DD 1348 (Requisition System Document)
- remarks misc

Travel Expenses Table:

- - if military orders, from Block # 9 of NAV-PERS1320/16 (TEMADD Travel Orders)
 - if invitational orders, from Proceed on or about from NAVSO4650/10 (Invitational Travel Order)
- - if military orders, from Block # 3 of NAV-PERS1320/16 (TEMADD Travel Orders)
 - if invitational orders, from Block # 1 of NAVSO4650/10 (Invitational Travel Order)
- location destination of traveler
 - if civilian orders, from Block # 11 of DD
 1610 (Request and Authorization for TDY
 Travel of DOD Personnel)
 - if military orders, from Block # 13 of NAV-PERS1320/16 (TEMADD Travel Orders)
 - if invitational orders, from Block # 1 of NAVSO4650/10 (Invitational Travel Order)
- code type of travel from the following department codes:
 - EI; invitational travel
 - ET; TAD travel
- estimate
 estimated cost of travel
 - if civilian orders, total from Block # 14 of DD1610 (Request and Authorization for Travel of DOD Personnel)
 - if military orders, total from Block # 18 of NAVPERS1320/16 (TEMADD Travel Orders)

- if invitational orders, from for the purpose of from NAVSO4650/10 (Invitational Travel Order)
- costcode or JO#, from travel orders
 - if civilian orders, from Block # 19 (62217-XXXXX) of DD1610 (Request and Authorization for Travel of DOD Personnel)
 - if military orders, from Block # 17(8) of NAVPERS1320/16 (TEMADD Travel Order)
 - if invitational orders, from Block # 7
 (62271XXXXX) of NAVSO4650/10 (Invitational
 Travel Order)
- - if military orders, tango from Block # 4 of NAVOERS1320/16 (TEMADD Travel Order)
 - if invitational orders, from Block # 7 (ITXXXXX) of NAVSO4650/10 (Invitational Travel Order)
- advance if civilian orders, from Block #15 of DD-1610 (Request and Authorization of TDY Travel of DOD Personnel)
 - if military orders, from Block # 21 of NAVPERS1320/16 (TEMADD Travel Order)
 - if invitational orders, no entry

- firm price total of Blocks #7 and # 10 from DD Form
 1351-2 (Travel Voucher or Sub-voucher)
- entry date date of record entry to AS System

- DOV # - DO Voucher No. from Block # 10 of DD Form 1351-2 (Travel Voucher or Sub-voucher)

Inventory Table:

- pa# plant account number, from Block # 54 of DD 1342 (DOD Property Record)
- vendor from Block # 14 of DD 1342 (DOD Property Record)
- description- from Block # 26 of DD 1342 (DOD Property Record)
- serial # from Block # 17 of DD 1342 (DOD Property Record)
- PO# purchase order number, from Block # 25 of DD 1342 (DOD Property Record)
- cost from Block # 6 of DD 1342 (DOD Property Record)
- received from Block # 54 of DD 1342 (DOD Property Record)
- location from Block # 28 of DD 1342 (DOD Property Record)

V. ERRORS AND ABNORMAL PROCESSING

A. ERRORS

Notification of errors are given by two methods:

- 1. The AS System will display a WHITE on RED flashing message, which will prompt for a legal entry. When entering numbers, only use the numbers along the top of the keyboard.
- 2. The language (KnowledgeMan) or the Disk Operating System (DOS) will display a WHITE on BLACK message. The following are examples of messages which may be displayed:
 - a. Do you want to escape (Y/N)? Normally enter \underline{U} (no).
 - b. <type> error reading <device>; Abort, Retry, Ignore?
 Normally enter R (retry).
 - If display of the message continues, enter \underline{A} (abort).
 - c. A warning message may appear; example File not found. Note the error message, exit the AS System, remove the diskette and notify the System Administrator.

3. ABNORMAL PROCESSING


If the AS System does not process normally (takes a longer than normal time to process), press the <u>ESC</u> key. Pressing the <u>ESC</u> key will either return processing to the calling menu or exit the AS System and the KnowledgeMan prompt (__) will appear.


Then perform the following:


 If processing is returned to a calling module, attempt to continue normal processing. If the problem contin-

- ues, turn the power off, remove the diskette and notify the System Administrator.
- 2. If the KnowledgeMan prompt (_) appears, type in <u>KMAN MAINMEN</u> and attempt to continue normal processing. If the problem continues, turn the power off, remove the diskette and notify the System Administrator.

APPENDIX B Diagram of the AS System's Menus







APPENDIX C AS SYSTEM'S MENUS

AS Financial Reporting System

Main Menu

- 1 Data Base
- 2 Reports
- 3 To Quit

enter your selection _

0

Data Base

- 1 Expenses
- 2 Income
- 3 Property
- 4 Return to calling menu

enter your selection _

1

Database Expenses

- 1 Personnel
- 2 Travel
- 3 Purchase
- 4 Return to calling menu

enter your selection _

1.1

Personnel

- 1 Personnel Funding
- 2 Personnel History
- 3 Return to calling menu

enter your selection _

1.1.1

Personnel Funding Expenses

- 1 Browse a Table
- 2 Update a Record
- 3 Add a Record
- 4 Delete a Record
- 5 Return to calling menu

enter your selection _

1.1.1.1

Personnel History Expenses

- 1 Browse a Table
- 2 Update a Record
- 3 Add a Record
- 4 Delete a Record
- 5 Réturn to calling menu

enter your selection _

1.1.1.2

Travel Expenses

- 1 Browse a Table
- 2 Update a Record
- 3 Add a Record
- 4 Delete a Record
- 5 Return to calling menu

enter your selection _

1.1.2

Purchase Expenses

- 1 Browse a Table
- 2 Update a Record
- 3 Add a Record
- 4 Delete a Record
- 5 Return to calling menu

enter your selection _

1.1.3

Data Base Income

- 1 OPTAR
- 2 Indirect
- 3 Other
- 4 Return to calling menu

enter your selection _

1.2

OPTAR Income

- 1 Browse a Table
- 2 Update a Record
- 3 Add a Record
- 4 Delete a Record
- 5 Return to calling menu

enter your selection _

1.2.1

Indirect Income

- 1 Browse a Table
- 2 Update a Record
- 3 Add a Record
- 4 Delete a Record
- 5 Return to calling menu

enter your selection _

1.2.2

Other Income

- 1 Browse a Table
- 2 Update a Record
- 3 Add a Record
- 4 Delete a Record
- 5 Return to calling menu

enter your selection _

1.2.3

Inventory Property

- 1 Browse a Table
- 2 Update a Record
- 3 Add a Record
- 4 Delete a Record
- 5 Return to calling menu

enter your selection _

1.3

Reports

- 1 Personnel
- 2 Purchase
- 3 Financial
- 4 Travel Outstanding TO(s)
- 5 Return to calling menu

TURN THE PRINTER ON

enter your selection _

2

Personnel Reports

- l Personnel Funding
- 2 Personnel History
- 3 Return to calling menu

enter your selection _

2.1

Purchase Reports

- 1 Requisition Status
- 2 Quarterly Inventory
- 3 Return to calling menu

enter your selection _

2.2

APPENDIX D SAMPLE AS SYSTEM REPORTS Outstanding TO(s)

DEPARTMENT OF ADMINISTRATIVE REPORT: OUTSTANDING TO(3)		SCIENCES	REPORT DATE: 03/ REVISION DATE:	10/36
COST CODE	DOC \$	REQUESTOR	CLAIH	DOV \$
2GD05	6 TOA 2226	Coffey	0	
EGD05	6T0A2227	Coffey	- - 0	
EGD00	6ITA3361	esc	0	
EGDOO	6TOA3350	Greer	85-11-12	
EGDOO	6T0A3352	Schneidewind	85-12-02	
EGDOO	61TA3351	Suchan	85-12-13	X3559
EGDOO _	6TOA3353	Hackay	85-01-29	X4744
EGDOO	6TOA3354	Landeros	86-02-11	X5185
EGDOO	6T0A3355	Hale	86-02-19	X5374
EGDOO	6T0A3361	Elam	0	
EGDOO	6T0A3356	Straub	0	
EGDOO	6T0A3357	Widmeyer	0	
EGDOO	6TOA3358	Conger -	0	
EGDOO	6ITA3359	Pracht	o	
EGDOO	6ITA3360	Schocken	0	
GUCTN	6T0A4820	Haag	85-11-25	
GUCTN	6TOA4821	Bui	0	
NONE	851201	Evered	0	•
HONE	851202	McMasters	0	•
RCAZ2	6TOA7002	Lapatra	85-11-20	
RCAZ2	6T0A7001	BUDDENBERG	85-12-04	X3168
RCAZ2	6T0A7003	LaPatra	85-12-12	X3524
RCAZ 2	6TOA7005	Jones	86-01-29	X4743
RCFCP	6 TOB7725	Creighton	0	
RCFCF	6TOA7727	Creignton	0	
RCFCP	6T0B7726	Creighton	0	
RCFCP	6T0B7727	Creighton	0	

Page 1

Personnel Funding

DEPARTMENT OF ADMINISTRATI REPORT: SERSONNEL PURDING	VE SCIENCES						3.57025	7 DATE: 03/10/86
TATE .	PUMB PROM	FUED TO	SRE/WE	ETAC	SOURS	COST CODE	RATE	STITCHA
•	0	0	٥		9		\$ 0.00	3 0.00
	0	0	0		0		5 0.00	\$ 0.30
Allen, Honique	35-10-14	85-10-14	3	31	0	THOLL	\$ 3.00	s 0.00
	85-10-15	85-11-10	0	19	9	RPCS1	\$ 0.30	\$ 1362.49
	85-11-11	85-11-11	•	01 .	• .	XECUL	\$ 0.00	\$ 0.00
• •	85- 11-12	85-11-27	•	12 -	0	RPC51	\$ 0.00	\$ 860.52
	85-11-28	85-11-28	0	` 01 -	. 0	XBOLL	s 0.40	\$ 0.00
•	85-11-29	85-12-07	•	06 1	•	m/CS1	. s a.aa	\$ 430.26
	85-12-08	15-12-24	9	12 1	•	mecs)	S 0.00	\$ 860.52
	85-12-25	85-12-25	a .	01	9	TROLL	. \$ 0.00	\$ 0.00
	85-12-26	85-12-31	Q	94	•	mCS1	3 0.00	3 286.84
•	86-01-01	86-01-01	•	01		MOLT	\$ 0.00	\$ 0.00
••••	86-01-02	86-01-05	0	02	٠.	RMC51	3 0.00	\$ 143.42
• •	86-01-06	86-01-08	•	03		TALSL	\$ 0.00	\$ 0.00
	56-01-09	86-01-19	•	09	•	RMC51	\$ 0.00	\$ 645.39
•••	86-01-20	86-01-20	0 '	01	0	THOLE	\$ 0.00	s a.aa
	86-01-21	86-02-05	a	12 .	•	RMC51	\$ 0.00	\$ 860.52
	86-02-17	86-02-17	٥	01	٥	ENOUT	\$ 0.00	\$ 0.00
	86-10-01	85-10-13	0	39	3	RMC51	. \$ 3.00	\$ 645.39
Salesteri, Angela	85-10-01	85-10-13	0	06	0	RLQIP	\$ 3.06	\$ 545.40
• •	85-10-14	85-10-14	٥	01	0	XECUL	\$ 0.00	\$ 0.00
•	85-10-15	85-11-10	0	12	•	REGIP	\$ 0.00	\$ 1090.20
	85-11-11	85-11-11	٥	91	0	MOUL	5 3.00	\$ 0.00
	05-11-12	85-11-27	0	08	9	REGIP	\$ 0.00	\$ 727.20
	85-11-28	85-11-28	۰	01	0	XECUL	1 0.00	\$ 0.00
	85-11-29	85-12-22	٥	10	0	aros p	\$ 0.00	3 909.30

?age 1

Personnel History

DEPARTMENT OF ADMINISTRA								report jat.	2: 03/10/86
HAME	JOB TITLE	SERIES	CRADE	STEP	200	BILLETS	EXPIRE	HORE CHIT	HORE DIRECT
Allen. Honsque	Research Technician	303	5	1	A0656	918q	86-09-30	Punc.Skill	Sticht
Salesteri, Angela	Editorial Asst. (Typ	1087	5	9	A0505	3049	86-09-23		San Higuel
Suttles-Miller, Sech	Management Assistant	344	7	1	A0140	827 g	86-08-31		Dickey
Cochrane, Candi	Research Technician	303	. 5	. 1	A1065	9549	86-09-30		Inste
Covingeon, Maria	fravel Clerk (Typing	2132	4	10	20487	1359	0		Dickey
Devis, Selen	Statisticiam (Ope. &	1530	11	1.	A0836	877g	86-10-01		Thomas
Dickey, Laurence	Support Services Sup	342	. 9,	1	AG871	881g .	86- 05-14		Greet
George, Eurem	fechnical Nanuals Wr	1083.	. 7	1	A1085	913g	86-10-10	Puna.Skill	Armijo
Souveia, Cynthia	Copies/Duplicating O	350	2	1.	A1037	843g	87-01-11		Dickey
Soward, LaVerne	Clerk-Typist	322			A1078	2679	0		Dickey -
Sumphreys, Susan	Clera-Typist	322	. 4	3	20468	1349	0		Dickey
Butchings, Renske	Research Technician	303	: 5	1	A0930	8 96 q	. 86-06-02		Thomas
James, greta	clera-typist	122	3	1	all44	2629	o		dickey
Tocher, Eathryn	Labor Scononist	110	11	. 7	20496	915g .	86-03-26		Thomas
frauthammer. William	Social Services Aid	3186	4	1	A0671	8 6 4q	86-07-21	MARC	Zimerman
Lathrop, Mary Ellen	Social Science Analy	101	7	1	A0497	862q	87-01-02		Hist-isonsik
Lindsay, Caryl	Computer Programmer	334	7	1	A0490	959 9	86-07-01		Soyang
Lindstrom, Jodie	Secretary (Typing)	350	5	1	AQ379	8939	86-06-30		Soyang

Page 1

Quarterly Inventory

DEPARTHEM REPORT: QU	REPORT DATE: 03/10/94			
PAS POS	Vender Coet 1	peceived [TERE	Description Location	Serial 0
¹ <u>uu</u>	18M \$ 1000.30 1	LI-11-11 ADAMS	70-JR 1-270	11111
222 2222	5 2000.00	22 MARTE	COMPOTER I-280	22222
333 333	# 1 133.30 1	12-33-33 CARSON	TEST DESC I-0-1	1333

Requisition Status

3214.07.		ADGITA	EVITANTE	2CIEDCS
REPORT:	RECUIE	SITION	STATUS	

REPORT DATE: 03/13/:

200 DESCRIPTION	c ,	STOCK #	POO REQUESTOR	VEUDOR
0				
0			ms. 500 comp	
0 ···	;		 	
0			james	central point software
a · · · · ·	•			
0				•
- + a			• • • • • • • • • • • • • • • • • • •	
- 0 clipper for the po			lyous	meetroy day computerverks
0		e e e e e e e e e e e e e e e e e e e		· · · · · · · · · · · · · · · · · · ·
0 5204 Tape Dispenser, 3"	-9140	REPOST 7520-00-240-241	7 Joelson	Ready Supply
3 5219 Report to Judy Moracco,	-9664 Maral Edmoation & Tra	RMC51 LD159		Pederal Supress
0 5221 Pyxel Visuals	-7506	al per	85 -11- 4828	Pyrai Applications
3 5235 Capie to compect IBH-FC	-7508 tp Daisywriter Print	RLPER er	85-Y-1587	ComputerLand

PAGE 1

APPENDIX E

ADMINISTRATIVE SCIENCES (AS) DATA BASE REPORTING SYSTEM

PROGRAMMER'S MANUAL

TABLE OF CONTENTS

		Page
I.	BACKGROUND	- 78
II.	DATA BASE ADMINISTRATOR	- 73
III.	SYSTEM DESIGN	- 79
	A. PRIMARY DESIGN GOALS	- 79
	B. PROCESSING LOGIC	79
.VI	APPLICATION LANGUAGE	81
v.	SCREEN INPUT/OUTPUT MANAGEMENT	81
VI.	FILES	83
	A. PERFORM FILES	83
	B. ERROR AND MESSAGE FORMS	84
	C. FORMS	85
	D. REPORTS	86
	E. MENUS	87
	F. TABLES	37
VII.	DATA MANAGEMENT	88
JIII.	AS SYSTEM REQUIREMENTS	89
	A. REFERENCES	89
	3. SOFTMARE	89
	C. HARDWARE	90

I. BACKGROUND

The Administrative Sciences (AS) Data Base Reporting System (the AS System) is an interactive, menu driven data base management system. This system is used to input, edit and store the U.S. Naval Postgraduate School's Administrative Sciences Department's financial data (i.e., the AS Department's OPTAR, data relative to the AS Department's indirect cost and research accounts, and the Department's equipment inventory) and to create financial reports. This manual is not a tutorial of the AS System's application language.

II. DATA BASE ADMINISTRATOR

The AS Department's Management Assistant is the AS System's Administrator and Data Base Administrator (DBA). The duties of the DBA includes defining data tables and structures, data security, program and systems modifications, system documentation and user training. All request or suggestions for changes and major problems must be referred to the System's Administrator.

III. SYSTEM DESIGN

The AS System performs data manipulation and report generation, and has been designed along these two functional paths. Appendix F, the AS System's data flow diagram details the two functional paths. Prototyping was used; first perform the data manipulation for one table and the report generation for one report, then use similar logic for the other tables and reports.

A. PRIMARY DESIGN GOALS

The following were the primary design goals for AS System:

- error detection and correction
- ease in modifying programs
- data entry editing
- ease in entering, storing and modifying data
- ease in creating reports
- ease in operating the system
- ease of adding follow-on features (i.e., spreadsheets, graphics, etc.)

In an attempt to accomplish the above goals, the majority of this System's modules deal with the interface between the user and the data, instead of computations upon the data. Due to these design goals, the System's structure chart, Appendix G, displays a great deal of higher level fan-out and minimal lower level fan-in.

B. PROCESSING LOGIC

The following is the standard processing logic of the perform files (modules):

- Change the necessary K-Man environment variables.
- 2. Receive passed data from a calling module.

- 3. Determine if user wants to exit module. (Will be no on first entry into module.) If no - perform step 4. If yes - perform step 8.
- 4. Display and accept input from a menu.
- 5. Error check the menu input.
- 5a. Display and accept input from an error form and repeat step 5 (If menu entry was an error.).
- 6. Perform function of module or call a subordinate module.
- 7. Repeat step 3.
- 8. Ensure that the changed K-Man environmental variables are set to the default values.
- 9. Change the necessary variable to ensure that a blank appears at the calling menu's prompt.

IV. APPLICATION LANGUAGE

The application language used for the AS System is KnowledgeMan (K-Man), version 1.07; which is developed by Micro Data Base Systems, Inc., Lafayette, Indiana. KnowledgeMan is a database management system which is designed to operate on a microcomputer. The AS System uses the following KnowledgeMan capabilities:

- Data Management
- Screen Input/Output Management
- Printed Forms (Reports) Management
- Procedures

Future development of the AS System can accommodate the following:

- Statistical Analysis
- Spreadsheet Analysis
- Calculations
- Functions
- Graphics
- Integration with other financial packages; i.e. IFPS

V. SCREEN INPUT/OUTPUT MANAGEMENT

The AS System uses predefined forms for menus, data entry and data display. Menus and data entry/display forms prompt the user for entries. The AS System is designed for a novice user, therefore prompts and instructions are utilized instead of command entries. Each menu and data entry/display form also edits the user's input by using KnowledgeMan's "picture" capability. If a wrong entry is made, an error form is displayed that notifies the user of an error and prompts for a correct entry. Appendix 3 is a hierarchical chart of the AS System's menus and Appendix C contains each system menu.

KnowledgeMan's optional interactive forms painting component (K-Paint) was used to create the System's menus and entry/display forms. The K-Paint files are included with the AS System's K-Man files.

MONEY RESERVED TRANSPORT OF THE

VI. FILES

The following file name extensions are used by the AS System:

- EXE -- a K-Man execute file
- ICF -- context file, which saves a former state of K-Man processing in an encrypted format so that it can be resumed later (menus and forms)
- IGU -- user/password security file (a K-Man file)
- INC -- include file (a K-Man file)
- IPF -- perform file, which holds a sequence of K-Man commands (except for forms and menus, the code for these files is contained in Appendix J)
- OVL -- K-Man overlay files
- TPL -- report templates (created with K-Report)

A. PERFORM FILES

The following are the AS System's perform files:

brwtable	outstrpt
crtrecrd	persdmen
dbmen	pfunddlt
deltrecl	pfundmen
deltrec2	pfundrpt
expenmen	pfundupd
incommen	phistdlt
indirdlt	phistmen
indirmen	phistrpt
indirupd	phistupd
invendlt	prprtmen
invenmen	purchdlt
invenrpt	purchmen
invenupd	purchupd

mainmen	purrtmen
optardlt	reprtmen
optarmen	requsrpt
optarupd	travlmen
otherdlt	tvlexdlt
othermen	tvlexupd
otherupd	updrecrd

Naming convention:

- *.ipf -- (* = function performed)

- *upd.ipf -- (This file is required to update a record in a table. * = table's name)

The above files were created with a text editor. Listings of the perform files are contained in Appendix I.

B. ERROR AND MESSAGE FORMS

The following are the AS System's error and message forms:

- delerfrm(.icf & .ipf)
- erlindir(.icf & .ipf)
- er2indir(.icf & .ipf)
- eroinven(.icf & .ipf)
- erooptar(.icf & .ipf)
- eropfund(.icf & .ipf)
- erophist(.icf & .ipf)
- erotvlex(.icf & .ipf)
- errorfrm(.icf & .ipf)

Naming convention:

- ero*.(.icf or .ipf) -- (* = table's name)

The above files were created, and may be viewed, by using K-Paint.

C. FORMS

The following are the AS System's forms:

deletfrmtabldfrmdelqsfrmtrpldfrm

indelfrm pfdelfrm indirert pfundert indired pfundel indirect pfunding inupdfrm

invencrt phdelfrm
invendel phistcrt
inventor phistdel
ivdelfrm phistory
ivupdfrm phupdfrm

opdelfrm pudelfrm optar purchase optarcrt purchcrt optardel purchdel opupdfrm puupdfrm

otdelfrmtvdelfrmothertvlexcrtothercrttvlexdelotherdeltvlexpotupdfrmtvupdfrm

Naming convention:

All of the above files have an .icf or .ipf extension. The ".icf" files are saved for K-Paint usage. The ".ipf" files are performed by an AS System module (file).

- *crt. -- (A form on which a user enters data to create a record -- an entry form. * = table's name)
- *delfrm. -- (A form on which a user enters a field's value that is used to select which record may be deleted. * = table's name)
- *.(icf & ipf)-- (A form that displays a record
 when a user elects to browse a
 table or update a record -- an
 entry form. * = table's name)
- *updfrm. -- (A form on which a user enters a field's value that is used to select which records may be updated. * = table's name)

The above files were created by using K-Paint.

D. REPORTS

The following are the AS System's reports:

- invenrpt.tpl -- Quarterly Inventory
- outstrpt.tpl -- Outstanding TO(s)
- pfundrpt.tpl -- Personnel Funding
- phistrpt.tpl -- Personnel History
- requsrpt.tpl -- Requisition Status

The above files were created, and the structure may be viewed, by using K-Report.

E. MENUS

The following are the AS Systems menus:

expenfrm pfundfrm incomfrm phistfrm indirfrm prprtfrm invenfrm purchfrm mainfrm purrtfrm optarfrm reprtfrm otherfrm travfrm persdfrm

Naming convention:

- *frm.(icf & ipf) -- (* = the subject table or purpose of menu; i.e. phistfrm is the menu for the phistory table)

The above files were created by using K-Paint.

F. TABLES

The following are the tables for the AS System:

- indirect.itb -- Indirect Income
- inventor.itb -- Inventory Property
- optar.itb -- OPTAR Income
- other.itb -- Other Income
- pfunding.itb -- Personnel Funding Expenses
- phistory.itb -- Personnel History Expenses
- purchase.itb -- Purchase Expenses
- tvlexp.itb -- Travel Expenses

The above tables were created by using K-Man's command language.

VII. DATA MANAGEMENT

The AS System's data is organized into tables. Each field within each table has a specific size and type (numeric, string or logical). Each file has a "picture", which KnowledgeMan uses to edit a field's value. The formats of the AS System's tables are contained in Appendix J and the field definitions are contained in Appendix H. Because the AS System's users had previously used KnowledgeMan in an ad hoc query mode, and to decrease processing time, this is not a relational data base; there is a duplication of data oetween some tables.

User access may be limited to tables and fields within tables. The use of this data security capability is the responsibility of the DBA.

VII. AS SYSTEM REQUIREMENTS

A. REFERENCES

The following references are necessary for successfully programming the AS System:

- KnowledgeMan Reference Manual
- Interactive Forms Painting (K-Paint); Supplement #1 to the KnowledgeMan Reference Manual
- Full-Screen Text Processor (K-Text); Supplement #2 to the KnowledgeMan Reference Manual or another text editor
- Custom Report Generation (X-Report); Supplement #5 to the KnowledgeMan Reference Manual

The following references are helpful for successfully programming the AS System:

- Disk Operating System (version 2.1) by Microsoft Corp.
- The Beginner's Guide to KnowledgeMan
- Discovering KnowledgeMan; published by the Howard Sams Co., Indianapolis
- The Book of KnowledgeMan; by Gilbert M. Roeder

B. SOFTWARE

The following software is required for operating the AS System:

- DOS, version 2.1 -- The CONFIG.SYS file must have buffers set to at least 10. The AS System has buffers=11. Each additional buffer cost an additional 528 bytes of memory, but may result in faster processing.

Note -- A diskette has been provided to the DBA which contains DOS version 2.1 and the following commands in AUTOEXEC.BAT:

C:

SETCLOCK

PATH C:\AS\KMAN

CD C:\AS\SYSTEM


(With the current equipment, the AS System's files are stored in drive "C", sup-directory \AS\SYSTEM. Know-ledgeMan, K-Paint, K-Report and K-Text are stored in "C" drive, sub-directory \AS\KMAN.)


- K-Man, version 1.07 (PCDOS, IBM PC)
- K-Paint, version 1.07 (PCDOS, IBM PC)
- K-Report, version 1.07 (PCDOS, IBM PC)
- K-Text, version 1.07 (PCDOS, IBM PC) or another text editor (Kedit was used to create this system's perform files)

C. HARDWARE

- Minimum RAM of 192K
- Minimum mass disk storage of 500K


APPENDIX F
DATA FLOW DIAGRAM






APPENDIX G STRUCTURE CHART

This appendix contains the structure chart of the AS System's perform files (.IPF). All modules are numbered, except the menus and forms. The modules that are called by several other modules are connected via a small box which contains a roman numeral. All modules are called conditionally.




DATA: a. FORMANS




DATA: a. FORMANS

THE AS (ADMINISTRATIVE SCIENCES) FINANCIAL REPORTING SYSTEM: SOME EXPERIE. (U) MAYAL POSTGRADUATE SCHOOL MONTEREY CA R L BOOKER 27 MAR 86 AD-8168 841 UNCLASSIFIED F/G 9/2 NL




MacBorrel.


3100




DATA: a. FORMANS




DATA: a. FORMANS; b. TABLE; c. TABLE, UPDATVAR, COND; d. TABLE, PASSVAR, PASSCOND; e. ENTRYONE, ENTRYTWO




DATA: a. FORMANS; b. TABLE; c. TABLE, UPDATVAR, COND; d. TABLE, PASSVAR, PASSCOND; e. ENTRYONE



DATA: a. FORMANS; b. TABLE; c. TABLE, UPDATVAR, COND; d. TABLE, PASSVAR, PASSCOND; e. ENTRYONE




DATA: a. FORMANS; b. TABLE; c. TABLE, UPDATVAR, COND; d. TABLE, PASSVAR, PASSCOND; e. ENTRYONE




DATA: a. FORMANS


AND RESERVED SERVED STREET




DATA: a. FORMANS; b. TABLE; c. TABLE, UPDATVAR, COND; d. TABLE, PASSVAR, PASSCOND; e. ENTRYONE, ENTRYTWO




DATA: a. FORMANS; b. TABLE; c. TABLE, UPDATVAR, COND; d. TABLE, PASSVAR, PASSCOND; e. ENTRYONE, ENTRYTWO; f. ENTRYONE




DATA: a. FORMANS; b. TABLE; c. TABLE, UPDATVAR, COND; d. TABLE, PASSVAR, PASSCOND; e. ENTRYONE, ENTRYTWO; f. ENTRYONE




DATA: a. FORMANS; b. TABLE; c. TABLE, UPDATVAR, COND; d. TABLE, PASSVAR, PASSCOND; e. ENTRYONE, ENTRYTWO




DATA: a. FORMANS





DATA: a. FORMANS




DATA: a. FORMANS











DATA: a. TABLE, PASSVAR, PASSCOND; b. DELTANS; c. PASTABLE, DELTVAR, COND; d. FORMANS





APPENDIX H DATA DICTIONARY

DATA DICTIONARY

Format of elements: Name, allowable values, format description, files inwhich the element is used (.IPF files unless noted), and read and write access (DBA has table matching access codes to individuals).

Allowable values; num = numeric, str = string, logic = logical.

Format; d = place holder for a digit or a sign.
r = placeholder for any ASCII character.
%5r = rrrrr; repeat the code the number of times as the number

- COND

 NUM 0, 1 or 2
 A variable used to determine which condition has been selected by a user for either updating or deleting a record from a table. (0 = only 1 condition displayed by updating or deletion form, 1 = 1st condition was selected and 2 = 2nd condition was selected)

 DELTREC1, DELTREC2, INDIRUPD, INVENUPD, OPTARUPD, OTHERUPD, PFUNDUPD, PHISTUPD, PURCHUPD, TVLEXUPD, UPDRECRD
- DELTANS STR (Y,N,y,n) A variable which determines if a user is sure that a record is required to be deleted. DELERFRM, DELERFRM.ICF, DELQSFRM, DELQSFRM.ICF, DELTREC1
- DELTVAR STR or NUM A variable which is used to determine which selection criterion is used to delete a record. (DELTVAR equals a specific field's value.)
 DELTREC2
- ENTRYONE STR or NUM A variable which is updated by entering data onto to a update or deletion selection form or an error form. The only records that will be displayed contains a field's value that matches ENTRYONE.

 (i.e. ENTRYONE = "Smith" will only display records that contains LNAME = "Smith")
 - ERLINDIR (.IPF & .ICF), ER2INDIR (.IPF & .ICF), ER0INVEN (.IPF & .ICF), ER0FFUND (.IPF & .ICF),
 - EROINVEN(.IPF & .ICF), EROPFUND(.IPF & .ICF), EROOPTAR(.IPF & .ICF), EROPHIST(.IPF & .ICF),
 - EROTVLEX (.IPF & .ICF),
 - INDELFRM(.IPF & .ICF), INDIRDLT, INDIRUPD,
 INUPDFRM(.IPF & .ICF),
 - INVENDLT, INVENUPD, IVDELFRM(.IPF & .ICF),
 IVUPDFRM(.IPF & .ICF),
 - OPDELFRM(.IPF & .ICF), OPTARDLT, OPTARUPD, OPUPDFRM(.IPF & .ICF),
 - OTDELFRM(.IPF & .ICF), OTHEHDLT, OTHERUPD, OTUPDFRM(.IPF & .ICF),
 - PFDELFRM(.IPF & .ICF), PFUNDDLT, PFUNDUPD, PFUPDFRM(.IPF & .ICF),
 - PHDELFRM(.IPF & .ICF), PHISTDLT, PHISTUPD, PHUPDFRM(.IPF & .ICF),
 - PUDELFRM(.IPF & .ICF), PURCHDLT, PURCHUPD, PUUPDFRM(.IPF & .ICF),
 - TVDELFRM(.IPF & .ICF), TVLEXDLT, TVLEXUPD, TVUPDFRM(.IPF & .ICF)

```
ENTRYTWO
             STR or NUM
                                   A variable which is updated
     by entering data onto to a update or deletion selection
     form or an error form. The only records that will be dis-
     played contains a field's value that matches ENTRYONE
     (i.e. ENTRYONE = "Smith" will only display records that
     contains LNAME = "Smith"). Used if there are two fields
     which may be used for updates or deletions.)
     ER2INDIR(.IPF & .ICF), EROINVEN(.IPF & .ICF),
     EROPFUND(.IPF & .ICF), EROOPTAR(.IPF & .ICF),
     INDIRUPD, INUPDFRM(.IPF & .ICF),
     INVENDLT, INVENUPD, IVDELFRM (.IPF & .ICF),
     IVUPDFRM(.IPF & .ICF),
     OPDELFRM(.IPF & .ICF), OPTARDLT, OPTARUPD,
     OPUPDFRM(.IPF & .ICF),
     OTHERUPD, OTUPDFRM(.IPF & .ICF),
     PFDELFRM(.IPF & .ICF), PFUNDDLT, PFUNDUPD,
     PRUPDERM(.IPF & .ICF)
              STR (1, 2, 3, 4 or 5)
                                      The displayed menu's
FORMANS
    option that is selected by the user.
    BRWTABLE, CRTRECRD, DBFORM(.IPF & .ICF), DBMEN, DELTREC1,
    ERRORFRM(.IPF & .ICF),
    EXPENFRM (. IPF & . ICF), EXPENMEN,
    INCOMFRM(.IPF & .ICF), INCOMMEN,
    INDIRDLT, INDIRFRM (.IPF & .ICF), INDIRMEN, INDIRUPD,
    INVENDLT, INVENFRM(.IPF & .ICF), INVENMEN, INVENRPT,
    INVENUPD, MAINFRM(.IPF & .ICF), MAINMEN,
    OPTARDLT, OPTARFRM(.IPF & .ICF), OPTARMEN, OPTARUPD,
    OTHERDLT, OTHERFRM(.IPF & .ICF), OTHERMEN, OTHERUPD,
    OUTSTRPT, PERSDMEN,
    PFUNDDLT, PFUNDFRM(.IPF & .ICF), PFUNDMEN, PFUNDRPT,
    PFUNDUPD,
    PHISTDLT, PHISTFRM(.IPF & .ICF), PHISTMEN, PHISTRPT,
    PHISTUPD, PRPRTMEN,
    PURCHDLT, PURCHFRM(.IPF & .ICF), PURCHMEN, PURCHUPD,
    PURRTFRM(.IPF & .ICF), PURRTMEN, REPRTFRM(.IPF & .ICF),
    REPRIMEN, REQUIRPI,
    TRAVFRM(.IPF & .ICF), TRAVLMEN, TVLEXDLT, TVLEXUPD,
    UPRECRD
```

INDIRECT.ASAPPRO NUM \$ddddd.dd

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: A..... Write Access : A.....

INDIRECT.AUTH NUM \$ddddddd.dd Total amount authorized

for research project.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Nrite Access : ABCDEFGHIJKLMNOP

INDIRECT.COSTCODE STR %5r Costcode or Job Order #.

INDIRECT.ITS, INDIRECT, INDIRECT.ICF, INDIRCRT, INDIRCRT.ICF, INDIRCRT.ICF, UPDRECRD

Read Access : ABCDEFGHIJKLHNOP Write Access : ABCDEFGHIJKLMNOP

INDIRECT.DEPTIC NUM \$ddddd.dd Amount anticipated for

indirect costs.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

INDIRECT.DOC# STR %15r Document #.

INDIRECT.ITB, INDIRECT, INDIRECT.ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: A..... Mrite Access : A.....

INDIRECT.ENTRY NUM dd-dd-dd Date the entry is made.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRECT,


INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: ABCDEFGHIJKLINOP Write Access : ABCDEFGHIJKLMNOP

INDIRECT.ESTIMATE NUM \$dddddddddd Estimated cost of research.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRECT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF



INDIRECT.EXPIRE NUM dd-dd-dd Date of expipation of funds. DELTREC2, INDIRECT.ITB, INDIRECT, INDIRECT.ICF, INDIRCRT, INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

INDIRECT.ICRECD NUM \$ddddd.dd Actual indirect costs received from project.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: A3CDEFGHIJKLMNOP Write Access: A3CDEFGHIJKLMNOP

INDIRECT.MIPR# STR %15r MIPR# from acceptance document.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

INDIRECT.PERIOD STR %20r Dates specified on proposal for performance of research.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

INDIRECT.PRINCIPL STR %20r Last name of principal investigator.

BRNTABLE, INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRECT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF, UPDRECRD

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

INDIRECT.PROPOSAL STR %130r Title of proposal.
INDIRECT.ITB, INDIRECT, INDIRECT.ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

INDIRECT.REF# STR %25r Reference # from acceptance

document.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

INDIRECT.REMARKS STR %50r Remarks.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

INDIRECT.SEGMENT STR %6r Segment #

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: A..... Write Access : A.....

INDIRECT.SERIALS NUM dddd-dddd Serial #

INDIRECT.ITB, INDIRECT, INDIRECT.ICF, INDIRCRT, INDIRCRT.ICF, INDIRCRT.ICF

Read Access: A..... Write Access : A......

INDIRECT.SPONSOR STR %40r Name of project sy INDIRECT.ITB, INDIRECT, INDIRECT.ICF, INDIRCRT, Name of project sponsor.

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

INDIRECT.STAFFLBR NUM \$dddddddd Total of support labor.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

INDIRECT.STATUS STR 325r Status of proposal.

INDIRECT. ITB, INDIRECT, INDIRECT. ICF, INDIRCRT,

INDIRCRT.ICF, INDIRDEL, INDIRDEL.ICF

```
INVENTOR.COST NUM $dddddd.dd
    INVENTOR. ITB, INVENTOR, INVENTOR. ICF, INVENCRT,
    INVENCRT.ICF, INVENDEL, INVENDEL.ICF, INVENRPT.TPL
  Read Access : A.....
  Write Access : A.....
INVENTOR.DESCRIPT STR $50r
    INVENTOR. ITB, INVENTOR, INVENTOR. ICF, INVENCRT,
    INVENCRT.ICF, INVENDEL, INVENDEL.ICF, INVENRPT.TPL
  Read Access: A.....
  Write Access : A......
INVENTOR. ISSUE
              STR %25r
    INVENTOR. ITB, INVENTOR, INVENTOR. ICF, INVENCRT,
    INVENCRT.ICF, INVENDEL, INVENDEL.ICF, INVENRPT.TPL
  Read Access : A.....
  Nrite Access : A.....
INVENTOR.LOCATION STR %7r
    INVENTOR. ITB, INVENTOR, INVENTOR. ICF, INVENCRT,
    INVENCRT.ICF, INVENDEL, INVENDEL.ICF, INVENRPT.TPL
  Read Access: A.....
  Write Access : A.....
INVENTOR.PA#
                STR %6r
    BRWTABLE, DELTREC2, INVENTOR. ITB, INVENTOR, INVENTOR. ICF,
    INVENCRT, INVENCRT.ICF, INVENDEL, INVENDEL.ICF,
    INVENRPT.TPL, UPDRECRD
  Read Access : A.....
  Write Access : A.....
             STR 39r
INVENTOR.PO#
    INVENTOR. IT3, INVENTOR, INVENTOR. ICF, INVENCRT,
    INVENCRT. ICF, INVENDEL, INVENDEL. ICF, INVENRPT. TPL
  Read Access : A.....
  Write Access : A.....
INVENTOR.RECEIVED NUM dd-dd-dd
    INVENTOR. ITB, INVENTOR, INVENTOR. ICF, INVENCRT,
    INVENCRT.ICF, INVENDEL, INVENDEL.ICF, INVENRPT.TPL
  Read Access: A.....
  Write Access : A.....
```

INVENTOR. SERIAL# STR %12r DELTREC2, INVENTOR. ITB, INVENTOR, INVENTOR. ICF, INVENCRT, INVENCRT.ICF, INVENDEL, INVENDEL.ICF, INVENRPT.TPL, UPDRECRD Read Access : A..... Nrite Access : A........ INVENTOR. VENDOR STR %40r INVENTOR. ITB, INVENTOR, INVENTOR. ICF, INVENCRT, INVENCRT.ICF, INVENDEL, INVENDEL.ICF, INVENRPT.TPL Read Access : A..... Write Access : A..... OPTAR.ACTUAL NUM \$dddddd.dd Changes in authorized. OPTAR.ITB, OPTAR, OPTAR.ICF, OPTARCRT.ICF, OPTARDEL, OPTARDEL.ICF Read Access: A..... Write Access : A..... NUM \$dddddd.dd Total amount authorized. OPTAR.AUTH OPTAR.ITB, OPTAR, OPTAR.ICF, OPTARCRT, OPTARCRT.ICF, OPTARDEL, OPTARDEL.ICF Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

OPTAR.ENTRY NUM dd-dd-dd Date that record is entered.

DELTREC2, OPTAR.ITB, OPTAR, OPTAR.ICF, OPTARCRT,

OPTARCRT.ICF, OPTARDEL, OPTARDEL.ICF, UPDRECRD

Read Access: ABCDEFGHIJKLMNOP

Mrite Access: ABCDEFGHIJKLMNOP

OPTAR.RECEIVED NUM dd-dd-dd Date of latest authorization memo.

BRWTABLE, DELTREC2, OPTAR.ITB, OPTAR, OPTAR.ICF, OPTARCRT,

OPTARCRT.ICF, OPTARDEL, OPTARDEL.ICF, UPDRECRD

OPTAR.TACTUAL NUM \$dddddd.dd Changes in travel authorized. OPTAR.ITB, OPTAR, OPTAR.ICF, OPTARCRT, OPTARCRT.ICF,

OPTARDEL, OPTARDEL.ICF

OPTAR.TAUTH NUM \$dddddd.dd Amount designated for travel.

OPTAR.ITB, OPTAR, OPTAR.ICF, OPTARCRT, OPTARCRT.ICF,

OPTARDEL, OPTARDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

OPTAR.TDIFFER Virtual field: ((TACTUAL - TAUTH))

OPTAR.ITB, OPTAR, OPTAR.ICF, OPTARCRT, OPTARCRT.ICF,

OPTARDEL, OPTARDEL.ICF

Read Access : A.....

OTHER.AUTH NUM \$dddddd.dd Amount authorized for

Department Expenditure.

OTHER.ITB, OTHER, OTHER.ICF, OTHERCRT,

OTHERCRT.ICF, OTHERDEL, OTHERDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

OTHER.COSTCODE STR %5r Costcode or Job Order #.

OTHER.ITB, OTHER, OTHER.ICF, OTHERCRT,

OTHERCRT.ICF, OTHERDEL, OTHERDEL.ICF, UPDRECRD

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

OTHER.ENTRY NUM dd-dd-dd Date the entry is made.

OTHER.ITB, OTHER, OTHER.ICF, OTHERCRT, OTHERCRT.ICF, OTHERDEL.ICF

Read Access: ABCDEFGHIJKLMNOP

Write Access : ABCDEFGHIJKLMNOP

OTHER.EXPIRE NUM dd-dd-dd Date of expiration of funds.

DELTREC2, OTHER.ITB, OTHER, OTHER.ICF, OTHERCRT,

OTHERCRT.ICF, OTHERDEL, OTHERDEL.ICF

OTHER.PRINCIPL STR %20r Last name of principal invesigator.

BRWTABLE, OTHER.ITB, OTHER, OTHER.ICF, OTHERCRT, OTHERCRT.ICF, OTHERDEL, OTHERDEL.ICF, UPDRECRD Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

OTHER.PROPOSAL STR %130r Title of proposal.
OTHER.ITB, OTHER, OTHER.ICF, OTHERCRT,
OTHERCRT.ICF, OTHERDEL, OTHERDEL.ICF
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

OTHER.REMARKS STR %50r REMARKS
OTHER.ITB, OTHER, OTHER.ICF, OTHERCRT,
OTHERCRT.ICF, OTHERDEL, OTHERDEL.ICF
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

OTHER.SPONSOR STR \$35r Name of project sponsor.
OTHER.ITB, OTHER, OTHER.ICF, OTHERCRT,
OTHERCRT.ICF, OTHERDEL, OTHERDEL.ICF
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

OTHER.STATUS STR \$25r Status of funds.
OTHER.ITB, OTHER, OTHER.ICF, OTHERCRT,
OTHERCRT.ICF, OTHERDEL, OTHERDEL.ICF
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

PASSCOND NUM 0, 1 or 2 A variable used to determine which condition has been selected by a user for deleting a record from a table. (0 = only 1 condition displayed by deletion form, 1 = 1st condition was selected and 2 = 2nd condition was selected)

DELTREC1, INDIRDLT, INVENDLT, OPTARDLT, OTHERDLT, PFUNDDLT, PHISTDLT, PURCHDLT, TVLEXDLT

PASSVAR STR or NUM A variable which is used to determine which selection criterion is used to delete a record. (DELTVAR equals a specific field's value.)
DELTREC1, INDIRDLT, INVENDLT, OPTARDLT, OTHERDLT, PFUNDDLT, PHISTDLT, PURCHDLT, TVLEXDLT

PASTABLE STR The name of a table that have a record deleted from it.

DELTREC1, DELTREC2

PFUNDING.AMOUNT NUM \$ddddd.dd \$Amount charged to costcode.
PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT,
PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF, PFUNDRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PFUNDING.CODE STR \$3r Department Code PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT, PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF

PFUNDING.COSTCODE STR %5r Costcode or Job Order # PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT, PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF, PFUNDRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PFUNDING.ENTRY NUM dd-dd-dd Date of item entry.
PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT,
PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

PFUNDING.FNAME STR %15r Full first name.
PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT,
PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF, PFUNDRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PFUNDING.FUNDFROM NUM dd-dd-dd Date funding began.
PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT,
PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF, PFUNDRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PFUNDING.FUNDTO NUM dd-dd-dd Date funding ends.
PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT,
PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF, PFUNDRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PFUNDING.HOURS NUM d

PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT, PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF, PFUNDRPT.TPL

PFUNDING.HRSWK NUM dd Hours per week.
PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT,
PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF, PFUNDRPT.TPL

PFUNDING.LABOR# NUM dd-dd-dd Date of funding memo.

DELTREC2, PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT,

PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF, UPDRECRD

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PFUNDING.LNAME STR %25r Full last name.

BRWTABLE, DELTREC2, PFUNDING.ITB, PFUNDING, PFUNDING.ICF,
PFUNDCRT, PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF,
PFUNDRPT.TPL, UPDRECRD

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PFUNDING.RATE NUM \$ddd.dd Pay rate.
PFUNDING.ITB, PFUNDING, PFUNDING.ICF, PFUNDCRT,
PFUNDCRT.ICF, PFUNDDEL, PFUNDDEL.ICF, PFUNDRPT.TPL

PHISTORY.BILLET# STR %4r Billet# assigned by CPO.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT, PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF, PHISTRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PHISTORY.DOB NUM dd-dd-dd Date of birth.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PHISTORY.EFFECTIV NUM dd-dd-dd Effective date of personnel

changes.

PHISTORY.IT3, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF

Read Access: A3CDEFGHIJKLMNOP Write Access: A3CDEFGHIJKLMNOP

PHISTORY.ENTRY NUM dd-dd-dd Date of entry.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PHISTORY.ES NUM dd-dd-dd Date elements and standards

set for performance review.

PHISTORY.IT3, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF

Read Access: A3CDEFGHIJKLMNOP Write Access: A3CDEFGHIJKLMNOP

PHISTORY.EXPIRE MUM dd-dd-dd Date of expiration of tem-

porary appointments.

PHISTORY.IT3, PHISTORY, PHISTORY.ICF, PHISTCRT, PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF, PHISTRPT.TPL

Read Access : ABCDEFGHIJKLMNOP

Write Access : ABCDEFGHIJKLMNOP

PHISTORY.FNAME STR %15r Full first name.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTORT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF, PHISTRPT.TPL

PHISTORY.GRADE NUM dd Grade level.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT, PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF, PHISTRPT.TPL

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

PHISTORY.HRSWK NUM dd # of hours worked per week.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Title of position. PHISTORY.JOBTITLE STR %30r

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF, PHISTRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

PHISTORY.LNAME Full last name. STR 325r

BRWTABLE, DETREC2, PHISTORY.IT3, PHISTORY, PHISTORY.ICF,

PHISTCRT, PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF,

PHISTRPT.TPL, UPDRECRD

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

PHISTORY.PD# STR %5r Position description #

assigned by CPO.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

\$ddd.dd Hourly rate. PHISTORY.RATE

Virtual field: (((SALARY / 2087) * 3) * 1.30000)
PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF

Read Access: ABCDEFGHIJKLMNOP

PHISTORY.REMARKS STR %100r Remarks.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF

PHISTORY.SALARY NUM \$ddddd.dd Annual salary.
PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PHISTORY.SERIES NUM ddddd Series classification.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT, PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF, PHISTRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PHISTORY.STATUS STR %6r Type of appointment.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT,

PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

PHISTORY.STEP NUM dd Step level.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT, PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF, PHISTRPT.TOL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PHISTORY.SUPERVSR STR %25r Last name of workload super-

visor.

REACTION OF BUSINESS SERVICES

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT, PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF, PHISTRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PHISTORY.WORKUNIT STR %10r Workunit.

PHISTORY.ITB, PHISTORY, PHISTORY.ICF, PHISTCRT, PHISTCRT.ICF, PHISTDEL, PHISTDEL.ICF, PHISTRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PURCHASE.CODE STR %3r Department code. (See data

sources in User's Manual.)

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

PURCHASE.COSTCODE STR %5r Costcode or JON.

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF, REQUSRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PURCHASE.DESCRIPT STR %50r Item description.
PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,
PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF, REQUSRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PURCHASE.DOC# STR %10r

BRWTABLE, DELTREC2, PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT, PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF,

REQUERPT.TPL, UPDRECRD

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PURCHASE.ENTRY NUM dd-dd-dd Date record is entered.

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PURCHASE.ESTIMATE NUM \$ddddd.dd Estimate of cost.

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PURCHASE.FIRM NUM \$ddddd.dd Actual cost of item.

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PURCHASE.ISSUE STR %25r Last name of individual item

is issued to.

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

PURCHASE.LOCATION STR %7r Location of issue. PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Nrite Access : ABCDEFGHIJKLMNOP

STR %17r Plant Account #. PURCHASE.PA# PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF Read Access: ABCDEFGHIJKLMNOP

Write Access : ABCDEFGHIJKLMNOP

STR %9r Purchase Order #. PURCHASE.PO# PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT, PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF, REQUSRPT.TPL

Read Access: A3CDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

PURCHASE.PRIORITY NUM dd

PURCHASE. ITB, PURCHASE, PURCHASE. ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

PURCHASE.QTY STR rrr

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

Read Access: A..... Write Access : A.....

PURCHASE.RDD NUM dd-dd-dd Required delivery date.

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT, PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF, REQUSRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

PURCHASE.RECEIVED NUM dd-dd-dd

PURCHASE.IT3, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

PURCHASE.REMARKS STR %50r

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PURCHASE.REQUESTR STR %25r Last name of individual who

requested the purchase.

PURCHASE. ITB, PURCHASE, PURCHASE. ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PURCHASE.SERIAL# STR %12r

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT,

PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

PURCHASE.STOCK# STR %20r

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT, PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF, REQUSRPT.TPL

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

PURCHASE. VENDOR STR \$40r

PURCHASE.ITB, PURCHASE, PURCHASE.ICF, PURCHCRT, PURCHCRT.ICF, PURCHDEL, PURCHDEL.ICF, REQUSRPT.TPL

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

TABLE STR The name of a table that

one of the following functions will be performed on; prowse the table, update a record in the table, create or delete a record.

BRWTABLE, CRTRECRD, DELTREC1

INDIRDLT, INDIRMEN, INDIRUPD,

INVENDLT, INVENMEN, INVENUPD,

OPTARDLT, OPTARMEN, OPTARUPD,

OTHERDLT, OTHERMEN, OTHERUPD,

PFUNDDLT, PFUNDMEN, PFUNDUPD,

PHISTDLT, PHISTMEN, PHISTUPD,

PURCHDLT, PURCHMEN, PURCHUPD,

TRAVLMEN, TVLEXDLT, TVLEXUPD,

UPDRECRD

TVLEXP.ADVANCE NUM \$ddd.dd \$Amount of advance.
TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT,
TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: APCDEFGHIJKLMNOP

TVLEXP.CLAIM NUM dd-dd-dd Date claim is filed.
OUTSTRPT.TPL, TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT,
TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

TVLEXP.CODE STR %3r Code indicating type of travel; recruit, invitational, regular, or association. TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT, TVLEXCRT.ICF, TVLEXDEL.ICF

Read Access: ABCDEFGHIJKL.NOP Write Access: ABCDEFGHIJKLNNOP

TVLEXP.COSTCODE STR %5r Costcode or job order#.
OUTSTRPT.TPL, TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT,
TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

TVLEXP.DATEDEP NUM dd-dd-dd Date travel originated.
3RWTABLE, TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT,
TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

TVLEXP.DATERET NUM dd-dd-dd Date travel is concluded. TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT, TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

TVLEXP.DOC# STR %10r Travel order #.

BRWTABLE, DELTREC2, OUTSTRPT.TPL, TVLEXP.IT3, TVLEXP,

TVLEXP.ICF, TVLEXCRT, TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF,

UPDRECRD

TVLEXP.ENTRY NUM dd-dd-dd Date entry of record.

TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT,

TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF

Read Access: ABCDEFGHIJKLMNOP

Write Access: ABCDEFGHIJKLMNOP

TVLEXP.ESTIMATE NUM \$dddd.dd Estimated cost of travel.
TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT,
TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF
Read Access: ABCDEFGHIJKLMNOP

TVLEXP.FIRM NUM \$ddddd.dd Actual cost of travel.
TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT,

TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

Write Access : ABCDEFGHIJKLMNOP

TVLEXP.LOCATION STR %25r Destination of traveler.

TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT,

TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF

Read Access: ABCDEFGHIJKLMNOP

Nrite Access: ABCDEFGHIJKLMNOP

TVLEXP.REQUESTR STR \$20r Name of travler.

OUTSTRPT.TPL, TVLEXP.ITB, TVLEXP, TVLEXP.ICF, TVLEXCRT,

TVLEXCRT.ICF, TVLEXDEL, TVLEXDEL.ICF

Read Access: ABCDEFGHIJKLMNOP

Urite Access: ABCDEFGHIJKLMNOP

UPDATVAR STR or NUM A variable which is used to determine which selection criterion is used to update a record. (UPDATVAR equals a specific field's value.)
INDIRUPD, INVENUPD, OPTARUPD, OTHERUPD, PFUNDUPD, PHISTUPD, PURCHUPD, TVLEXUPD, UPDRECRD

APPENDIX I PROGRAM LISTINGS

TABLE OF CONTENTS

FILE	PAGE	FILE	PAGE
brwtable	135	outstrpt	152
crtrecrd	137	persdmen	163
domen	139	pfunddlt	164
deltrecl	140	pfundmen	165
deltrec2	141	pfundrpt	153
expenmen	146	pfundupd	167
incommen	147	phistalt	168
indirdlt	148	phistmen	169
indirmen	149	phistrpt	170
indirupd	150	phistupd	171
invendlt	151	prprtmen	172
invenmen	152	purchdlt	173
invenrpt	153	purchmen	174
invenupd	154	purchupd	175
mainmen	155	purrtmen	175
optardlt	156	reprtmen	177
optarmen	157	requsrpt	173
optarupd	158	travlmen	179
otherdlt	159	tvlexdlt	130
othermen	160	tvlexupd	131
otherupd	161	updrecrd	132

This appendix contains listings of all the AS System's perform files, except menus and forms. The code for the menus and forms can be "looked at" by using K-Paint.

```
/* BRWTABLE.IPF - This module browses a table.
                                                              */
                                                              */
/* Called by: INDIRMEN.IPF, OPTARMEN.IPF, PFUNDMEN.IPF,
/*
                                                              */
             PHISTMEN.IPF, PURCHMEN.IPF, TRAVLMEN.IPF,
/*
                                                              */
             OTHERMEN. IPF, INVENMEN. IPF
                                                              */
/* Calls: INDIRECT.IPF, OPTAR.IPF, PFUNDING.IPF,
/*
              PHISTORY. IPF, PURCHASE. IPF, TVLEXP. IPF,
                                                              */
/*
               OTHER. IPF, TABLDFRM. IPF, INVENTOR. IPF
                                                              */
                                                              */
/* Author: R. Booker, 15 Oct 85
E.ICAS = TRUE; ! ignore case differences among string values
PERFORM TABLDFRM;
PUTFORM TABLDFRM;
TABLE = \#A;
TEST TABLE
    CASE "INDIRECT":
         USE INDIRECT:
         SORT INDIRECT BY AZ PRINCIPL;
         LOAD FROM INDIRECT; ! the indirect funds entry form
         BROWSE INDIRECT ALL WITH INDIRECT;
         BREAK:
    CASE "INVENTOR":
         USE INVENTOR:
         SORT INVENTOR BY AZ PA#;
         LOAD FROM INVENTOR; ! the inventory entry form
         BROWSE INVENTOR ALL WITH INVENTOR;
         BREAK:
    CASE "OPTAR":
         USE OPTAR;
         SORT OPTAR BY AZ RECEIVED;
         LOAD FROM OPTAR; ! the OPTAR entry form
         BROWSE OPTAR ALL WITH OPTAR;
         BREAK:
```

```
CASE "OTHER":
         USE OTHER:
         SORT OTHER BY AZ PRINCIPL;
         LOAD FROM OTHER; ! the other funds entry form
         BROWSE OTHER ALL WITH OTHER;
         BREAK;
    CASE "PFUNDING":
         USE PFUNDING:
         SORT PFUNDING BY AZ LNAME:
         LOAD FROM PFUNDING; ! the personnel funding entry form
         BROWSE PFUNDING ALL WITH PFUNDING;
         BREAK;
    CASE "PHISTORY":
         USE PHISTORY;
         SORT PHISTORY BY AZ LNAME;
         LOAD FROM PHISTORY; ! the personnel history entry form
         BROWSE PHISTORY ALL WITH PHISTORY;
         BREAK:
    CASE "PURCHASE":
         USE PURCHASE;
         SORT PURCHASE BY AZ DOC#;
         LOAD FROM PURCHASE; ! the purchase entry form
         BROWSE PURCHASE ALL WITH PURCHASE;
         BREAK:
    CASE "TVLEXP":
         USE TVLEXP;
         SORT TVLEXP BY AZ DATEDEP, DOC#;
         LOAD FROM TVLEXP; ! the travel expenses entry form
         BROWSE TVLEXP ALL WITH TVLEXP;
         BREAK:
ENDTEST:
FINISH ALL;
FORMANS = " ";
E.ICAS = FALSE;
```

RETURN;

```
/* CRTRECRD.IPF - This module creates a record in a passed
                                                              */
                                                               */
/*
                  table.
                                                              */
/* Called by: PFUNDMEN.IPF, PHISTMEN.IPF, TRAVLMEN.IPF,
/*
              INDIRMEN. IPF, OTHERMEN. IPF, PURCHMEN. IPF,
                                                              */
                                                              */
/*
              OPTARMEN.IPF, INVENMEN.IPF
/* Calls:
              INDIRCRT. IPF, OPTARCRT. IPF, PFUNDCRT. IPF,
                                                              */
             PHISTCRT.IPF, PURCHCRT.IPF, TVLEXCRT.IPF
                                                              */
/*
             OTHERCRT. IPF, TABLDFRM. IPF, INVENCRT. IPF
                                                               */
/* Author: R. Booker 26 Jan 86
                                                               */
E.LMOD=FALSE; ! only blanks will first appear in the creation
PERFORM TABLDFRM;
PUTFORM TABLDFRM;
TABLE = \#A;
TEST TABLE
    CASE "INDIRECT":
         USE INDIRECT;
         LOAD FROM INDIRCRT; ! the indirect cost form
         CREATE RECORD FOR INDIRECT WITH INDIRCRT;
         BREAK;
      CASE "INVENTOR":
         USE INVENTOR;
         LOAD FROM INVENCRT; ! the inventory form
         CREATE RECORD FOR INVENTOR WITH INVENCRT:
         BREAK:
    CASE "OPTAR":
         USE OPTAR;
         LOAD FROM OPTARCRT; ! the optar form
         E.ICOM = TRUE; ! immediate compute of virtual field
         CREATE RECORD FOR OPTAR WITH OPTARCRT;
         E.ICOM = FALSE; BREAK;
```

```
CASE "OTHER":
         USE OTHER:
         LOAD FROM OTHERCRT; ! the other funds form
         CREATE RECORD FOR OTHER WITH OTHERCRT;
         BREAK:
    CASE "PFUNDING":
         USE PFUNDING;
         LOAD FROM PFUNDCRT; ! the personnel funding form
         CREATE RECORD FOR PFUNDING WITH PFUNDCRT;
         BREAK;
    CASE "PHISTORY":
         USE PHISTORY;
         LOAD FROM PHISTCRT; ! the personnel history form
         CREATE RECORD FOR PHISTORY WITH PHISTCRT;
         BREAK:
    CASE "PURCHASE":
         USE PURCHASE:
         LOAD FROM PURCHCRT; ! the purchase form
         CREATE RECORD FOR PURCHASE WITH PURCHCRT;
         BREAK:
    CASE "TVLEXP":
         USE TVLEXP;
         LOAD FROM TVLEXCRT; ! the travel expenses form
         CREATE RECORD FOR TVLEXP WITH TVLEXCRT;
         BREAK;
ENDTEST;
FINISH ALL;
FORMANS = " ";
                   ! places a blank in calling module prompt
E.LMOD=TRUE;
                    ! default
```

RETURN:

```
/* DBMEN.IPF - Brings up the data base menu, and perform
                                                           */
                                                           */
/* (1.0)
             either EXPENMEN.IPF, INCOMMEN.IPF or
/*
             INVENMEN. IPF
                                                            */
/* Called by: MAINMEN.IPF
                                                            */
/* Calls: DBFRM.IPF, ERRORFRM.IPF, EXPENMEN.IPF,
                                                            */
/*
             INCOMMEN. IPF, INVENMEN. IPF
                                                            */
                                                            */
/* Author: R. Booker 15 Jan 86
FORMANS = " ";
WHILE FORMANS NE "4" DO ! don't exit from module
                          ! expenses form
   PERFORM DBFRM;
   PUTFORM DBFRM:
   GETFORM DBFRM:
   WHILE NOT (FORMANS IN ["1","2","3","4"]) DO
        PERFORM ERRORFRM;
        PUTFORM ERRORFRM;
        GETFORM ERRORFRM;
    ENDWHILE:
   TEST FORMANS
        CASE "1": PERFORM "EXPENMEN.IPF"; BREAK;
        CASE "2": PERFORM "INCOMMEN.IPF"; BREAK;
        CASE "3": PERFORM "INVENMEN. IPF"; BREAK;
    ENDTEST;
                   ! formans = "4"
ENDWHILE;
FORMANS = " "; ! places a blank at calling menu prompt
RETURN;
```

```
*/
/* DELTREC1.IPF - This module gives a user another chance
                                                               */
/*
                  before deleting a record.
/* Called by: INDIRDLT.IPF, OPTARDLT.IPF, OTHERDLT.IPF,
                                                               */
              PFUNDDLT.IPF, PHISTDLT.IPF, PURCHDLT.IPF,
                                                               */
/*
                                                               */
              TVLEXDLT.IPF, INVENDLT.IPF
/*
                                                               */
              DELOSFRM.IPF, DELERFRM.IPF, DELTREC2.IPF
/* Calls:
                                                               */
/* Author: R. Booker, 30 Nov 85
E.ICAS = TRUE;
TABLE = #A; ! table for deletion, passed from calling module
PASSVAR = #B; ! value of condition variable for deletion
PASSCOND = #C; ! condition for deletion, passed from calling
               ! module
DELTANS = " "; ! updated by DELQSFRM
PERFORM DELOSFRM; ! checks to ensure that the user wants to
PUTFORM DELOSFRM: ! delete
GETFORM DELOSFRM;
WHILE NOT (DELTANS IN ["Y", "N"]) DO ! check input
    PERFORM DELERFRM:
    PUTFORM DELERFRM:
    GETFORM DELERFRM:
ENDWHILE;
IF DELTANS = "Y" THEN
    PERFORM "DELTREC2.IPF" USING "TABLE", "PASSVAR", "PASSCOND";
FORMANS = " "; ! places a blank at calling menu prompt
RETURN;
```

SCHOOLS STORY STORY

```
/* DELTREC2.IPF - This module deletes a record from a passed */
/*
                                                              */
                  table.
                                                              */
/* Called by: DELTREC1.IPF
/* Calls:
            INDIRDEL.IPF, OTHERDEL.IPF, PHISTDEL.IPF,
                                                              */
/*
                                                              */
             PURCHDEL.IPF, TVLEXDEL.IPF, DELETFRM.IPF,
/*
              TABLDFRM.IPF, PFUNDDEL.IPF, OPTARDEL.IPF
                                                              */
/*
              INVENDEL. IPF
                                                              */
/* Author: R. Booker, 30 Nov 85
                                                              */
E.ICAS = TRUE; ! ignore case differences among string values
PASTABLE = #A; ! table for deletion, passed from calling module
DELETVAR = #3; ! condition variable for deletion
COND = #C; ! condition for deletion, passed from calling
               ! module
PERFORM TABLDFRM:
PUTFORM TABLDFRM:
TEST PASTABLE ! test the table which will be used for deletion
    CASE "INDIRECT":
         USE INDIRECT:
         LOAD FROM INDIRDEL; ! the indirect cost deletion form
        BROWSE INDIRECT FOR EXPIRE = DELETVAR ALL WITH INDIRDEL;
         BREAK;
```

```
CASE "INVENTOR":
       USE INVENTOR:
       LOAD FROM INVENDEL;! the inventory deletion form
       IF COND = 1 THEN ! browse on PA#
           BROWSE INVENTOR FOR PA# = DELETVAR ALL\
                WITH INVENDEL;
       ELSE
           IF COND = 2 THEN ! delete on SERIAL#
                BROWSE INVENTOR FOR SERIAL# = DELETVAR ALL\
                     WITH INVENDEL;
           ENDIF;
       ENDIF;
       BREAK;
CASE "OPTAR":
      USE OPTAR;
      LOAD FROM OPTARDEL; ! the OPTAR deletion form
       IF COND = 1 THEN  ! browse on RECEIVED
           BROWSE OPTAR FOR RECEIVED = DELETVAR ALL\
                WITH OPTARDEL;
       ELSE
           IF COND = 2 THEN ! browse on ENTRY
                BROWSE OPTAR FOR ENTRY = DELETVAR ALL\
                     WITH OPTARDEL;
           ENDIF:
       ENDIF:
       BREAK;
  CASE "OTHER":
      USE OTHER;
      LOAD FROM OTHERDEL; ! the other funds deletion form
```

BREAK:

BROWSE OTHER FOR EXPIRE = DELETVAR ALL WITH OTHERDEL;

```
CASE "PFUNDING":
    USE PFUNDING;
    LOAD FROM PFUNDDEL;! the personnel funding deletion form
     IF COND = 1 THEN
                           ! browse on LNAME
          BROWSE PFUNDING FOR LNAME = DELETVAR ALL\
               WITH PFUNDDEL;
     ELSE
          IF COND = 2 THEN ! delete or LABOR#
              BROWSE PFUNDING FOR LABOR# = DELETVAR ALL\
                   WITH PFUNDDEL;
          ENDIF:
     ENDIF;
     BREAK;
CASE "PHISTORY":
     USE PHISTORY;
     LOAD FROM PHISTDEL; ! the personnel history deletion
                         ! form
     BROWSE PHISTORY FOR LNAME = DELETVAR ALL WITH PHISTDEL;
     BREAK;
CASE "PURCHASE":
    USE PURCHASE;
     LOAD FROM PURCHDEL; ! the purchase deletion form
     BROWSE PURCHASE FOR DOC# = DELETVAR ALL WITH PURCHDEL;
     BREAK:
CASE "TVLEXP":
     USE TVLEXP;
     LOAD FROM TVLEXDEL; ! the travel expenses deletion
                           ! form
     BROWSE TVLEXP FOR DOC# = DELETVAR ALL WITH TVLEXDEL;
```

BREAK:

ENDTEST;

IF #FOUND = TRUE THEN ! this prevents the current record from
! being deleted if a record is not found

PERFORM DELETFRM; ! notification that a record is being

PUTFORM DELETFRM; ! deleted

TEST PASTABLE

CASE "INDIRECT":

MARK RECORDS IN INDIRECT WITH TRUE CURRENT; COMPRESS INDIRECT;

BREAK;

CASE "INVENTOR":

MARK RECORDS IN INVENTOR WITH TRUE CURRENT;

COMPRESS INVENTOR;

BREAK;

CASE "OPTAR":

MARK RECORDS IN OPTAR WITH TRUE CURRENT;

COMPRESS OPTAR;

BREAK;

CASE "OTHER":

MARK RECORDS IN OTHER WITH TRUE CURRENT;

COMPRESS OTHER;

BREAK;

CASE "PFUNDING":

MARK RECORDS IN PFUNDING WITH TRUE CURRENT;

COMPRESS PFUNDING;

BREAK;

```
CASE "PHISTORY":
```

MARK RECORDS IN PHISTORY WITH TRUE CURRENT; COMPRESS PHISTORY; BREAK;

CASE "PURCHASE":

MARK RECORDS IN PURCHASE WITH TRUE CURRENT; COMPRESS PURCHASE; BREAK;

CASE "TVLEXP":

MARK RECORDS IN TVLEXP WITH TRUE CURRENT; COMPRESS TVLEXP; BREAK;

ENDTEST;

ENDIF;

FINISH ALL; RETURN;

```
/* EXPENMEN.IPF - Brings up the expenses menu and performs
                                                           */
/* (1.1)
                 either PERSDMEN.IPF, TRAVLMEN.IPF or
                                                            */
/*
                 PURCHMEN
                                                             */
/* Called by: DBMEN.IPF
                                                             */
/* Calls: EXPENFRM.IPF, ERRORFRM.IPF, PERSOMEN.IPF,
                                                             */
/*
            TRAVLMEN. IPF, PURCHMEN. IPF
                                                             */
/* Author: R. Booker
                               15 Jan 86
                                                             */
FORMANS = ^{n};
WHILE FORMANS NE "4" DO ! don't exit module
    PERFORM EXPENFRM; ! expenses form
    PUTFORM EXPENFRM;
    GETFORM EXPENFRM;
    WHILE NOT (FORMANS IN ["1", "2", "3", "4"]) DO
        PERFORM ERRORFRM;
        PUTFORM ERRORFRM;
        GETFORM ERRORFRM;
    ENDWHILE;
    TEST FORMANS
        CASE "1": PERFORM "PERSOMEN.IPF"; BREAK;
        CASE "2": PERFORM "TRAVLMEN.IPF"; BREAK;
        CASE "3": PERFORM "PURCHMEN.IPF"; BREAK;
ENDTEST;
ENDWHILE; ! formans = "4"
FORMANS = " "; ! places a plank at calling module prompt
RETURN;
```

という。これのないとなって、ないないないとなっていました。

```
/* INCOMMEN.IPF (1.2)
                                                            */
/* Brings up the data base income menu, and either performs
                                                            */
/* OPTARMEN.IPF, INDIRMEN.IPF or OTHERMEN.IPF
                                                            */
/* Called by: DBMEN.IPF
                                                            */
           INCOMFRM. IPF, ERRORFRM. IPF, OPTARMEN. IPF,
                                                            */
/* Calls:
/*
                                                            */
            INDIRMEN.IPF, OTHERMEN.IPF
                                                            */
/* Author: R. Booker 15 Jan 36
FORMANS = " ";
WHILE FORMANS NE "4" DO ! don't exit module
   PERFORM INCOMFRM:
                         ! data base menu
    PUTFORM INCOMFRM:
    GETFORM INCOMFRM;
   WHILE NOT (FORMANS IN ["1", "2", "3", "4"]) DO
        PERFORM ERRORFRM;
        PUTFORM ERRORFRM;
        GETFORM ERRORFRM:
    ENDWHILE:
    TEST FORMANS
        CASE "1": PERFORM "OPTARMEN.IPF"; BREAK;
        CASE "2": PERFORM "INDIRMEN.IPF"; BREAK;
        CASE "3": PERFORM "OTHERMEN.IPF"; BREAK;
    ENDTEST:
            ! formans = "4"
ENDWHILE;
FORMANS = " "; ! places a blank at calling menu prompt
RETURN;
```

```
*/
/* INDIRDLT.IPF (1.2.2.2)
                                                           */
/* Brings up the menu for the deletion of a record from the
                                                           */
/* indirect funds table.
                                                           */
/* Called by: INDIRMEN.IPF
                                                           */
/* Calls: INDELFRM.IPF, ERLINDIR.IPF, DELTRECL.IPF
                                                           */
/* Author: R. Booker 22 Jan 86
FORMANS = " ";
ENTRYONE = 0; ! entered from indelfrm
PASCOND = 0; ! condition for deletion, no choice = 0
WHILE ENTRYONE = 0 DO ! exit from module
    PERFORM INDELFRM; ! indirect deletion menu
    PUTFORM INDELFRM:
    GETFORM INDELFRM:
    WHILE ENTRYONE = 0 DO ! check input
        PERFORM ERLINDIR;
        PUTFORM ERLINDIR:
        GETFORM ERLINDIR:
    ENDWHILE;
    PERFORM "DELTREC1.IPF" USING "\"INDIRECT\"", "ENTRYONE",\
         "PASCOND";
ENDWHILE; ! formans not blank
ENTRYONE = 0;
FORMANS = " "; ! places a blank at calling module prompt
RETURN;
```

```
/* INDIRMEN.IPF - Brings up the menu for indirect income table*/
                 and offers the following options: browse the*/
/*
                 INDIRECT table, add, update or delete a
/*
                 record to or from it, and to quit.
                                                             */
/* Called by: INCOMMEN.IPF
                                                             */
/* Calls:
            INDIRFRM. IPF, ERRORFRM. IPF, BRWTABLE. IPF,
                                                             */
/*
             INDIRUPD. IPF, CRTRECRD. IPF, INDIRDLT. IPF
                                                             */
/* Author: R. Booker 15 Jan 86
                                                              */
FORMANS = " ":
WHILE FORMANS NE "5" DO ! exit from module
    PERFORM INDIRFRM; ! indirect cost menu
    PUTFORM INDIRFRM;
    GETFORM INDIRFRM;
    ! check input
   WHILE NOT (FORMANS IN ["1", "2", "3", "4", "5"]) DO
         PERFORM ERRORFRM:
         PUTFORM ERRORFRM:
         GETFORM ERRORFRM:
    ENDWHILE:
    TEST FORMANS
         CASE "1": PERFORM "BRNTABLE.IPF" USING "\"INDIRECT\"";
                  BREAK;
        CASE "2": PERFORM "INDIRUPD. IPF"; BREAK;
         CASE "3": PERFORM "CRTRECRD.IPF" USING "\"INDIRECT\"";
                  BREAK;
         CASE "4": PERFORM "INDIRDLT.IPF"; BREAK;
    ENDTEST:
ENDWHILE:
                   ! formans = "5"
FORMANS = " ";
                   ! places a blank at calling module prompt
RETURN:
```

```
/* INDIRUPD.IPF - Brings up the menu for updating of the
                                                             */
/* (1.2.2.1)
                                                             */
                 indirect funds table.
/* Called by: INDIRMEN.IPF
                                                             */
/* Calls: INUPDFRM.IPF, ER2INDIR.IPF, UPDRECRD.IPF
                                                             */
/* Author: R. Booker 22 Jan 86
                                                             */
FORMANS = ";
ENTRYONE = " "; ! the 1st condition for an update, entered from
              ! inupdfrm
ENTRYTWO = " "; ! the 2nd condition for an update, entered from
               ! inupdfrm
PASCOND = 0:
              ! the field to search for the update
WHILE ENTRYONE = " " AND ENTRYTWO = " " DO ! exit from module
    PERFORM INUPDFRM;
                         ! indirect funding update menu
    PUTFORM INUPDFRM:
   GETFORM INUPDFRM;
   WHILE ENTRYONE = " " AND ENTRYTWO = " " DO ! check input
        PERFORM ER2INDIR:
        PUTFORM ER2INDIR:
        GETFORM ER2INDIR;
    ENDWHILE:
    IF ENTRYONE NE " " THEN
        PASCOND = 1;
                                      ! update by cost code
        PERFORM "UPDRECRD.IPF" USING "\"INDIRECT\"",\
             "ENTRYONE", "PASCOND";
    ELSE
        IF ENTRYTWO NE " " THEN
             PASCOND = 2;
                                    ! update by principl
             PERFORM "UPDRECRD.IPF" USING "\"INDIRECT\"",\
                  "ENTRYTNO", "PASCOND";
        ENDIF;
    EMDIF:
ENDWHILE;
                 ! formans not blank
ENTRYONE = " "; ENTRYTNO = " ";
FORMANS = " "; RETURN;
```

```
*/
/* INVENDLT.IPF (1.3.2)
/* Brings up the menu for the deletion of a record from the
                                                           */
                                                           */
/* inventory table.
/* Called by: INVENMEN.IPF
                                                           */
/* Calls: IVDELFRM.IPF, EROINVEN.IPF, DELTREC1.IPF
                                                           */
/* Author: R. Booker 25 Feb 86
                                                           */
FORMANS = " ";
                  ! entered from ivdelfrm
ENTRYONE = " ";
ENTRYTNO = "";
                      ! entered from ivdelfrm
PASCOND = 0;
                      ! condition for deletion
WHILE ENTRYONE = " " AND ENTRYTHO = " " DO ! exit from module
                       ! inventory deletion menu
   PERFORM IVDELFRM:
   PUTFORM IVDELFRM;
   GETFORM IVDELFRM;
   WHILE ENTRYONE = " " AND ENTRYTWO = " " DO ! check input
        PERFORM EROINVEN;
        PUTFORM EROINVEN;
        GETFORM EROINVEN;
   ENDWHILE:
   IF ENTRYONE NE " " THEN
                                       ! delete by PA#
        PASCOND = 1;
        PERFORM "DELTRECL.IPF" USING "\"INVENTOR\"",\
             "ENTRYONE", "PASCOND";
   ELSE
        IF ENTRYTHO NE " " THEN
             PASCOND = 2; ! delete by SERIAL#
             PERFORM "DELTREC1.IPF" USING "\"INVENTOR\"",\
                  "ENTRYTWO", "PASCOND";
        ENDIF:
   ENDIF;
            ! formans not blank
ENDWHILE:
ENTRYONE = " "; ENTRYTHO = " ";
FORMANS = " "; ! places a plank at calling module prompt
RETURN;
```

```
/* INVENMEN.IPF - Brings up the menu for the inventory table */
/* (1.3)
                 and offers the following options: prowse the*/
/*
                 table, update, add, or delete a record, or */
/*
                                                             */
                 quit.
/* Called by: DBMEN.IPF
                                                             */
/* Calls: INVENFRM.IPF, ERRORFRM.IPF, BRWTABLE.IPF,
                                                             */
             INVENUPD. IPF, CRTRECRD. IPF, INVENDLT. IPF
/*
                                                             */
/* Author: R. Booker 25 Feb 36
                                                             */
FORMANS = " ";
WHILE FORMANS NE "5" DO ! exit from module
    PERFORM INVENERM:
                         ! inventory menu
    PUTFORM INVENERM:
    GETFORM INVENERM;
    ! check input
    WHILE NOT (FORMANS IN ["1","2","3","4","5"]) DO
         PERFORM ERRORFRM;
        PUTFORM ERRORFRM:
        GETFORM ERRORFRM;
    ENDWHILE;
    TEST FORMANS
         CASE "1": PERFORM "BRWTABLE.IPF" USING "\"INVENTOR\"";
                  BREAK:
         CASE "2": PERFORM "INVENUPD.IPF"; BREAK;
         CASE "3": PERFORM "CRTRECRD.IPF" USING "\"INVENTOR\"";
                  BREAK:
         CASE "4": PERFORM "INVENDLT.IPF"; BREAK;
    ENDTEST;
                  ! formans = "5"
ENDWHILE;
FORMANS = " "; ! places a blank at calling module prompt
RETURN;
```

```
*/
/* INVENRPT. IPF (2.2.2)
                                                             */
/* This module prints the quarterly inventory report.
                                                             */
/* Called by: PURRTMEN.IPF
                                                             */
/* Calls:
             TRPLDFRM. IPF
                                                             */
            R. Booker 25 Feb 86
/* Author:
PERFORM TRPLDFRM; ! Table and Report Loading form
PUTFORM TRPLDFRM;
                      ! Change string length to 50 characters.
E.LSTR = 50;
E.OPRN = TRUE;
                     ! Send output to printer.
                      ! Change page depth to 62 lines.
E.PDEP = 62;
\Xi.PWID = 130;
                      ! Change page width to 130 character.
                      ! inventory table.
USE INVENTOR
REPORT "INVENRPT" ORDER BY AZ PA#
                  ! Report was created with K-Report.
FINISH INVENTOR
                 ! Change all environment variables to their
E.LSTR = 15;
                  ! defaults.
E.OPRN = FALSE;
E.PDEP = 60;
E.PWID = 120;
FORMANS = " "; ! places a blank at calling module's prompt
RETURN;
```

```
/* INVENUPD.IPF - Brings up the menu for updating of the
                                                            */
/* (1.3.1)
                                                            */
                inventory table.
/* Called by: INVENMEN.IPF
                                                            */
/* Calls: IVUPDFRM.IPF, EROINVEN.IPF, UPDRECRD.IPF
                                                            */
/* Author: R. Booker 25 Feb 86
                                                            */
FORMANS = " :
ENTRYONE = "; ! the 1st condition for an update, entered
               ! from ivupdfrm
ENTRYTWO = " "; ! the 2nd condition for an update, entered
              ! from ivupdfrm
PASCOND = 0; ! the field to search for the update
WHILE ENTRYONE = " " AND ENTRYTWO = " " DO ! exit from module
                       ! inventory update menu
   PERFORM IVUPDFRM;
   PUTFORM IVUPDFRM;
   GETFORM IVUPDFRM;
   WHILE ENTRYONE = " " AND ENTRYTWO = " " DO ! check input
        PERFORM EROINVEN:
        PUTFORM EROINVEN:
        GETFORM EROINVEN;
   ENDWHILE:
  IF ENTRYONE NE " " THEN
        PASCOND = 1;
                                     ! update by PA#
        PERFORM "UPDRECRD. IPF" USING "\"INVENTOR\"",\
             "ENTRYONE", "PASCOND";
    ELSE
        IF ENTRYTWO NE " " THEN
             PASCOND = 2; ! update by SERIAL#
             PERFORM "UPDRECRD.IPF" USING "\"INVENTOR\"",\
                  "ENTRYTHO", "PASCOND";
        ENDIF:
   ENDIF:
           ! formans not blank
ENDWHILE:
ENTRYONE = " "; ENTRYTWO = " ";
FORMANS = " "; RETURN;
```

```
*/
/* MAINMEN.IPF (0)
/* Brings up the main AS Department data base menu, performs */
                                                            */
/* DBMEN.IPF or REPRTMEN.IPF
/* Calls: MAINFRM.IPF, ERRORFRM.IPF, DBMEN.IPF, REPRIMEN.IPF */
/* Author: R. Booker 15 Jan 86
                                                            */
FORMANS = " ";
WHILE FORMANS NE "3" DO ! exit from module
    PERFORM MAINFRM;
                           ! system banner menu
    PUTFORM MAINFRM;
    GETFORM MAINFRM;
    WHILE NOT (FORMANS IN ["1","2","3"]) DO ! input check
        PERFORM ERRORFRM:
         PUTFORM ERRORFRM;
         GETFORM ERRORFRM;
    ENDWHILE:
    TEST FORMANS
         CASE "1": PERFORM "DBMEN.IPF"; BREAK;
         CASE "2": PERFORM "REPRIMEN.IPF"; BREAK;
    ENDTEST:
                         ! formans = "3"
ENDWHILE;
RELEASE ALL;
CLEAR;
RETURN;
```

```
*/
/* OPTARDLT.IPF (1.2.1.2)
/* Brings up the menu for the deletion of a record from the
                                                         */
/* OPTAR funding table.
                                                         */
/* Called by: OPTARMEN.IPF
                                                         */
/* Calls: OPDELFRM.IPF, DROOPTAR.IPF, DELTREC1.IPF
                                                         */
/* Author: R. Booker 22 Jan 86
                                                         */
FORMANS = " ":
ENTRYONE = 0;
                 ! entered from opdelfrm
ENTRYTWO = 0; ! entered from opdelfrm
PASCOND = 0;
                   ! condition for deletion
PERFORM OPDELFRM:
                     ! OPTAR deletion menu
   PUTFORM OPDELFRM:
   GETFORM OPDELFRM:
   WHILE ENTRYONE = 0 AND ENTRYTWO = 0 DO ! check input
        PERFORM EROOPTAR;
        PUTFORM EROOPTAR:
        GETFORM EROOPTAR:
   ENDWHILE:
   IF ENTRYONE NE O THEN
        PASCOND = 1;
                                    ! delete by RECEIVED
        PERFORM "DELTREC1.IPF" USING "\"OPTAR\"", "ENTRYONE", \
             "PASCOND";
   ELSE
        IF ENTRYTNO NE O THEN
            PASCOND = 2;
                             ! delete by ENTRY
            PERFORM "DELTREC1.IPF" USING "\"OPTAR\"",\
                 "ENTRYTWO", "PASCOND";
        ENDIF;
   ENDIF;
                  ! formans not blank
ENDWHILE:
ENTRYONE = 0; ENTRYTWO = 0;
FORMANS = " "; ! places a plank at calling module prompt
RETURN:
```

```
/* OPTARMEN.IPF - Brings up the menu for the OPTAR table and
                                                             */
/* (1.2.1)
                 offers the following options: browse the
                                                             */
/*
                 table, update, add, or delete a record, or
                                                             */
/*
                                                             */
                 quit.
/* Called by: INCOMMEN.IPF
                                                             */
/* Calls: OPTARFRM.IPF, ERRORFRM.IPF, BRWTABLE.IPF,
                                                             */
/*
            OPTARUPD.IPF, CRTRECRD.IPF, OPTARDLT.IPF
                                                             */
/* Author:
            R. Booker 15 Jan 86
                                                             */
FORMANS = " ";
WHILE FORMANS NE "5" DO ! exit from module
   PERFORM OPTARFRM:
                     ! OPTAR menu
   PUTFORM OPTARFRM;
   GETFORM OPTARFRM:
    ! check input
   WHILE NOT (FORMANS IN ["1", "2", "3", "4", "5"]) DO
        PERFORM ERRORFRM;
        PUTFORM ERRORFRM;
        GETFORM ERRORFRM;
    ENDWHILE:
    TEST FORMANS
         CASE "1": PERFORM "BRMTABLE.IPF" USING "\"OPTAR\"";
                  BREAK:
         CASE "2": PERFORM "OPTARUPD. IPF"; BREAK;
         CASE "3": PERFORM "CRTRECRD.IPF" USING "\"OPTAR\"";
                  BREAK:
         CASE "4": PERFORM "OPTARDLT.IPF"; BREAK;
    ENDTEST;
ENDWHILE:
                  ! formans = "5"
FORMANS = " "; ! places a blank at calling module prompt
RETURN;
```

```
*/
/* OPTARUPD.IPF (1.2.1.1)
/* Brings up the menu for updating of the OPTAR funding table.*/
                                                         */
/* Called by: OPTARMEN.IPF
/* Calls: OPUPDFRM.IPF, EROOPTAR.IPF, UPDRECRD.IPF
                                                        */
                                                         */
/* Author: R. Booker 22 Jan 86
FORMANS = " ":
ENTRYONE = 0; ! the 1st condition for an update, entered from
            ! opupdfrm
ENTRYTWO = 0; ! the 2nd condition for an update, entered from
            ! opupdfrm
PASCOND = 0; ! the field to search for the update
! personnel funding update menu
   PERFORM OPUPDERM:
   PUTFORM OPUPDFRM:
   GETFORM OPUPDFRM:
   WHILE ENTRYONE = 0 AND ENTRYTWO = 0 DO ! check input
        PERFORM EROOPTAR:
        PUTFORM EROOPTAR:
        GETFORM EROOPTAR:
    ENDWHILE;
    IF ENTRYONE NE 0 THEN
                                  ! update by RECEIVED
        PASCOND = 1;
        PERFORM "UPDRECRD.IPF" USING "\"OPTAR\"", "ENTRYONE", \
             "PASCOND";
    ELSE
        IF ENTRYTWO NE O THEN
                             ! update by ENTRY
             PASCOND = 2:
             PERFORM "UPDRECRD.IPF" USING "\"OPTAR\"",\
                  "ENTRYTWO", "PASCOND";
        ENDIF:
    ENDIF:
ENDWHILE:
                 ! formans not blank
ENTRYONE = 0; ENTRYTHO = 0;
FORMANS = " "; RETURN;
```

```
/* OTHERDLT.IPF (1.2.3.2)
                                                           */
/* Brings up the menu for the deletion of a record from the
                                                           */
/* other funds table.
                                                           */
/* Called by: OTHERMEN.IPF
                                                           */
/* Calls: OTDELFRM.IPF, ERLINDIR.IPF, DELTREC1.IPF
                                                           */
/* Author: R. Booker 22 Jan 86
                                                           */
FORMANS = " ";
ENTRYONE = 0; ! entered from otdelfrm
PASCOND = 0; ! condition for deletion, no choice = 0
WHILE ENTRYONE = 0 DO ! exit from module
                     ! other deletion menu
   PERFORM OTDELFRM;
   PUTFORM OTDELFRM;
   GETFORM OTDELFRM;
   WHILE ENTRYONE = 0 DO ! check input
                           ! same as for indirect table
        PERFORM ERLINDIR;
        PUTFORM ERLINDIR;
        GETFORM ERLINDIR;
    ENDWHILE:
   PERFORM "DELTREC1.IPF" USING "\"OTHER\"", "ENTRYONE",\
        "PASCOND";
ENDWHILE; ! formans not blank
ENTRYONE = 0;
FORMANS = " "; ! places a blank at calling module prompt
RETURN:
```

```
/* OTHERMEN.IPF - Brings up the menu for other income, and */
/* (1.2.3)
                 offers the following options: prowse the */
/*
                  OTHER table, add, update, or delete a
                                                            */
/*
                                                            */
                  record, or quit.
/* Called by: INCOMMEN.IPF
                                                            */
            OTHERFRM. IPF, ERRORFRM. IPF, BRWTABLE. IPF,
                                                            */
/*
             OTHERUPD. IPF, CRTRECRD. IPF, OTHERDLT. IPF
                                                            */
/* Author: R. Booker 15 Jan 86
                                                            */
FORMANS = " ";
WHILE FORMANS NE "5" DO ! exit from module
    PERFORM OTHERFRM;
                           ! personnel other funds menu
    PUTFORM OTHERFRM;
    GETFORM OTHERFRM;
    ! check input
    WHILE NOT (FORMANS IN ["1", "2", "3", "4", "5"]) DO
        PERFORM ERRORFRM;
        PUTFORM ERRORFRM:
        GETFORM ERRORFRM:
    ENDWHILE:
    TEST FORMANS
         CASE "1": PERFORM "BRNTABLE.IPF" USING "\"OTHER\"";
                  BREAK:
         CASE "2": PERFORM "OTHERUPD.IPF"; BREAK;
         CASE "3": PERFORM "CRTRECRD.IPF" USING "\"OTHER\"";
                  BREAK;
         CASE "4": PERFORM "OTHERDLT.IPF"; BREAK;
    ENDTEST:
ENDWHILE; ! formans = "5"
FORMANS = " "; ! places a blank at calling module prompt
RETURN:
```

```
/* OTHERUPD.IPF - Brings up the menu for updating of the other*/
/* (1.2.3.1)
                funds table.
                                                            */
/* Called oy: OTHERMEN.IPF
                                                            */
/* Calls: OTUPDFRM.IPF, ER2INDIR.IPF, UPDRECRD.IPF
                                                            */
/* Author: R. Booker 22 Jan 86
                                                            */
FORMANS = ":
ENTRYONE = " "; ! the lst condition for an update, entered
              ! from otupdfrm
ENTRYTWO = " "; ! the 2nd condition for an update, entered
              ! from otupdfrm
PASCOND = 0; ! the field to search for the update
JHILE ENTRYONE = " " AND ENTRYTHO = " " DO ! exit from module
                         ! indirect funding update menu
   PERFORM OTUPDFRM:
   PUTFORM OTUPDFRM:
   GETFORM OTUPDERM:
   WHILE ENTRYONE = " " AND ENTRYTWO = " " DO ! check input
        PERFORM ER2INDIR; ! same as for the indirect table
        PUTFORM ER2INDIR:
        GETFORM ERZINDIR:
   ENDWHILE:
   IF ENTRYONE NE " " THEN
        PASCOND = 1;
                                     ! update by cost code
        PERFORM "UPDRECRD.IPF" USING "\"OTHER\"", "ENTRYONE", \
             "PASCOND":
   ELSE
        IF ENTRYTWO NE " " THEN
             PASCOND = 2; ! update by principl
             PERFORM "UPDRECRD.IPF" USING "\"OTHER\"".\
                  "ENTRYTWO", "PASCOND";
        ENDIF:
   ENDIF;
ENDWHILE; ! formans not blank
ENTRYONE = " "; ENTRYTHO = " ";
FORMANS = " "; RETURN;
```

```
/* OUTSTRPT.IPF (2.3)
                                                            */
/* This module prints the outstanding TO(s) report.
                                                            */
/* Called by: REPRTMEN.IPF
                                                            */
/* Calls: TRPLDFRM.IPF
                                                            */
/* Author: R. Booker 15 Jan 85
                                                            */
PERFORM TRPLDFRM; ! Table and Report Loading form
PUTFORM TRPLDFRM;
E.LSTR = 25; ! Change string length to 25 characters.
E.OPRN = TRUE; ! Send output to printer.
E.PDEP = 62;
                     ! Change page depth to 62 lines.
E.PWID = 130; ! Change page width to 130 character.
USE TVLEXP
                     ! Travel Expenses table.
REPORT "OUTSTRPT" ORDER BY AZ COSTCODE;
FINISH TVLEXP
E.LSTR = 15; ! Change all environment variables to their
            ! defaults.
E.OPRN = FALSE;
E.PDEP = 60;
E.PNID = 120;
FORMANS = " "; ! places a blank at calling module's prompt
RETURN;
```

```
/* PERSDMEN.IPF (1.1.1) - Brings up the personnel menu
                                                           */
/* Called by: EXPENMEN.IPF
                                                           */
/* Calls: PERSDFRM.IPF, ERRORFRM.IPF, PFUNDMEN.IPF,
                                                           */
/*
                                                           */
            PHISTMEN. IPF
/* Author: R. Booker 15 Jan 86
                                                           */
FORMANS = " ";
WHILE FORMANS NE "3" DO ! don't exit module
   PERFORM PERSDFRM:
                      ! personnel menu
   PUTFORM PERSDFRM:
   GETFORM PERSDFRM;
   WHILE NOT (FORMANS IN ["1","2","3"]) DO
        PERFORM ERRORFRM;
        PUTFORM ERRORFRM:
        GETFORM ERRORFRM;
   ENDWHILE;
   TEST FORMANS
        CASE "1": PERFORM "PFUNDMEN.IPF"; BREAK;
        CASE "2": PERFORM "PHISTMEN.IPF"; BREAK;
   ENDTEST:
ENDWHILE; ! formans = "3"
FORMANS = " "; ! places a blank at calling menu prompt
RETURN;
```

```
*/
/* PFUNDDLT.IPF (1.1.1.1.2)
                                                            */
/* Brings up the menu for the deletion of a record from the
                                                            */
/* personnel funding table.
                                                            */
/* Called by: PFUNDMEN.IPF
                                                            */
/* Calls: PFDELFRM.IPF, EROPFUND.IPF, DELTREC1.IPF
/* Author: R. Booker 22 Jan 86
                                                            */
FORMANS = " ";
ENTRYONE = " "; ! entered from pfdelfrm
ENTRYTWO = 0;
                      ! entered from pfdelfrm
PASCOND = 0;
                      ! condition for deletion
THILE ENTRYONE = " " AND ENTRYTHO = 0 DO ! exit from module
                        ! personnel funding deletion menu
    PERFORM PFDELFRM;
    PUTFORM PFDELFRM;
    GETFORM PFDELFRM;
    WHILE ENTRYONE = " " AND ENTRYTWO = 0 DO ! check input
         PERFORM EROPFUND;
        PUTFORM EROPFUND;
         GETFORM EROPFUND:
    ENDWHILE:
    IF ENTRYONE NE " " THEN
         PASCOND = 1; ! delete by last name
         PERFORM "DELTREC1.IPF" USING "\"PFUNDING\"",\
              "ENTRYONE", "PASCOND";
    ELSE
         IF ENTRYTWO NE O THEN
             PASCOND = 2; ! delete by labor #
             PERFORM "DELTREC1.IPF" USING "\"PFUNDING\"",\
                   "ENTRYTWO", "PASCOND";
         ENDIF;
    ENDIF:
ENDWHILE;
                   ! formans not blank
ENTRYONE = " "; ENTRYTWO = 0;
FORMANS = " "; ! places a blank at calling module prompt
RETURN:
```

```
/* PFUNDMEN.IPF - Brings up the menu for personnel funding. */
/* (1.1.1.1) The following options then may be selected:*/
/*
                  browse the personnel funding table, update, */
                  add or delete a record.
                                                              */
                                                              */
/* Called by: PERSDMEN.IPF
/* Calls:
            PFUNDFRM. IPF, ERRORFRM. IFF, BRWTABLE. IPF,
                                                              */
/*
                                                              */
             CRTRECRD. IPF, PFUNDUPD. IPF, PFUNDDLT. IPF
/* Author: R. Booker
                      15 Jan 86
                                                              */
FORMANS = ^{"}:
MHILE FORMANS NE "5" DO ! exit from module
    PERFORM PFUNDFRM:
                                    ! personnel funding menu
    PUTFORM PFUNDERM:
    GETFORM PFUNDFRM;
    ! check input
    WHILE NOT (FORMANS IN ["1", "2", "3", "4", "5"]) DO
         PERFORM ERRORFRM:
         PUTFORM ERRORFRM;
         GETFORM ERRORFRM:
    ENDWHILE;
    TEST FORMANS
         CASE "1": PERFORM "BRWTABLE.IPF" USING "\"PFUNDING\"";
                  BREAK;
         CASE "2": PERFORM "PFUNDUPD.IPF"; BREAK;
         CASE "3": PERFORM "CRTRECRD.IPF" USING "\"PFUNDING\"";
                  3REAK:
         CASE "4": PERFORM "PFUNDDLT.IPF"; BREAK;
    ENDTEST:
                ! formans = "5"
ENDWHILE:
FORMANS = " ";
                 RETURN;
```

```
/* PFUNDRPT.IPF (2.1.1)
                                                            */
                                                            */
/* This module prints the personnel funding report.
                                                            */
/* Called by: PRPRTMEN.IPF
/* Calls:
             TRPLDFRM. IPF
                                                            */
/* Author:
            R. Booker 15 Jan 86
                                                            */
PERFORM TRPLDFRM; ! Table and Report Loading form
PUTFORM TRPLDFRM;
                 ! Change string length to 25 characters
E.LSTR = 25;
E.OPRN = TRUE;
                     ! Send output to printer.
E.PDEP = 62;
                     ! Change page depth to 62 lines.
                   ! Change page width to 130 character.
E.PWID = 130;
USE PFUNDING
                      ! Personnel Funding table.
REPORT "PFUNDRPT" ORDER BY AZ PFUNDING.LNAME, \
                 AZ PFUNDING.FUNDFROM, AZ PFUNDING.FUNDTO
                 ! Report was created with K-Report.
FINISH PFUNDING
E.LSTR = 15;
            ! Change all environment variables to their
E.OPRN = FALSE; ! defaults.
E.PDEP = 50;
E.PNID = 120;
FORMANS = " "; ! places a blank at calling module's prompt
RETURN;
```

```
/* PFUNDUPD.IPF (1.1.1.1.1) - Brings up the menu for updating */
/* of the personnel funding table.
                                                            */
/* Called by: PFUNDMEN.IPF
                                                            */
/* Calls: PFUPDFRM.IPF, EROPFUND.IPF, UPDRECRD.IPF
                                                            */
/* Author: R. Booker 22 Jan 86
                                                            */
FORMANS = " ";
ENTRYONE = " "; ! the 1st condition for an update, entered
              ! from pfupdfrm
ENTRYTWO = 0; ! the 2nd condition for an update, entered
               ! from pfupdfrm
PASCOND = 0; ! the field to search for the update
WHILE ENTRYONE = " " AND ENTRYTWO = 0 DO ! exit from module
   PERFORM PFUPDFRM; ! personnel funding update menu
   PUTFORM PFUPDFRM:
   GETFORM PFUPDFRM:
   WHILE ENTRYONE = " " AND ENTRYTWO = 0 DO ! check input
        PERFORM EROPFUND;
        PUTFORM EROPFUND;
        GETFORM EROPFUND:
    ENDWHILE:
    IF ENTRYONE NE " " THEN
        PASCOND = 1; ! update by last name
        PERFORM "UPDRECRD.IPF" USING "\"PFUNDING\"",\
             "ENTRYONE", "PASCOND";
    ELSE
        IF ENTRYTWO NE O THEN
             PASCOND = 2; ! update by lapor #
             PERFORM "UPDRECRD.IPF" USING "\"PFUNDING\"",\
                  "ENTRYTHO", "PASCOND";
        ENDIF;
    ENDIF:
ENDWHILE;
               ! formans not blank
ENTRYONE = " "; ENTRYTWO = 0;
FORMANS = " "; RETURN;
```

```
/* PHISTDLT.IPF (1.1.1.2.2)
                                                           */
/* Brings up the menu for the deletion of a record from
                                                           */
/* personnel history table.
                                                           */
/* Called by: PHISTMEN.IPF
                                                           */
/* Calls: PHDELFRM.IPF, EROPHIST.IPF, DELTREC1.IPF
                                                           */
/* Author: R. Booker 19 Jan 86
                                                           */
FORMANS = " ";
ENTRYONE = " "; ! entered from phdelfrm
PASCOND = 0; ! condition for delation, no choice = 0
WHILE ENTRYONE = " " DO ! exit from module
   PERFORM PHDELFRM; ! personnel history deletion menu
   PUTFORM PHDELFRM;
   GETFORM PHDELFRM;
   WHILE ENTRYONE = " " DO ! check input
        PERFORM EROPHIST;
        PUTFORM EROPHIST;
        GETFORM EROPHIST;
    ENDWHILE:
   PERFORM "DELTREC1.IPF" USING "\"PHISTORY\"", "ENTRYONE",\
        "PASCOND":
ENDWHILE;
           ! formans not blank
ENTRYONE = " ";
FORMANS = " "; ! places a plank at calling module prompt
RETURN;
```

```
/* PHISTMEN.IPF - Brings up the menu for the personnel history*/
/* (1.1.1.2) table. The following options are then
                                                            */
/*
                 possible: browse a table, update, add or */
/*
                                                            */
                 delete a record, and quit.
/* Called by: PERSDMEN.IPF
                                                            */
           PHISTFRM.IPF, ERRORFRM.IPF, BRWTABLE.IPF,
/* Calls:
                                                            */
/*
            PHISTUPD. IPF, CRTRECRD. IPF, PHISTDLT. IPF
                                                            */
/* Author: R. Booker 15 Jan 86
                                                             */
FORMANS = " ";
WHILE FORMANS NE "5" DO ! exit from module
    PERFORM PHISTFRM;
                           ! personnel history menu
   PUTFORM PHISTFRM:
   GETFORM PHISTFRM;
   ! check input
   WHILE NOT (FORMANS IN ["1", "2", "3", "4", "5"]) DO
        PERFORM ERRORFRM:
        PUTFORM ERRORFRM;
        GETFORM ERRORFRM:
    ENDWHILE:
    TEST FORMANS
        CASE "1": PERFORM "BRWTABLE.IPF" USING "\"PHISTORY\"";
                  BREAK;
         CASE "2": PERFORM "PHISTUPD.IPF"; BREAK;
         CASE "3": PERFORM "CRTRECRD.IPF" USING "\"PHISTORY\"";
                  BREAK:
         CASE "4": PERFORM "PHISTDLT.IPF"; BREAK;
    ENDTEST:
ENDWHILE; ! formans = "5"
FORMANS = " "; RETURN;
```

```
/* PHISTRPT.IPF (2.1.2)
                                                             */
                                                             */
/* This module prints the personnel history report
/* Called by: PRPRTMEN.IPF
                                                             */
/* Calls:
                                                             */
             TRPLDFRM. IPF
/* Author:
            R. Booker 15 Jan 86
                                                             */
PERFORM TRPLDFRM; ! Table and Report Loading form
PUTFORM TRPLDFRM;
E.LSTR = 25;
                     ! Change string length to 25 characters.
                    ! Send output to printer.
E.OPRN = TRUE;
\Xi.PDEP = 62;
                     ! Change page depth to 62 lines.
E.PNID = 136;
                     ! Change page width to 136 character.
USE PHISTORY
                     ! Personnel History table.
REPORT "PHISTRPT" ORDER BY AZ LNAME
                      ! Report was created with K-Report.
FINISH PHISTORY
E.LSTR = 15; ! Change all environment variables to
                   ! their defaults.
E.OPRN = FALSE;
E.PDEP = 60;
E.PWID = 120;
FORMANS = " "; ! places a blank at calling module's prompt
RETURN;
```

```
*/
/* PHISTUPD.IPF - Brings up the menu for updating of the
                                                            */
/* (1.1.1.2.1)
               personnel history table.
                                                            */
/* Called by: PHISTMEN.IPF
                                                            */
            PHUPDFRM. IPF, EROPHIST. IPF, UPDRECRD. IPF
                                                            */
/* Author: R. Booker 18 Jan 86
FORMANS = " ";
ENTRYONE = " "; ! the condition for an update, entered from
                  ! phupdfrm
PASCOND = 0; ! the field to search for the update;
                  ! 0 = no option
WHILE ENTRYONE = " " DO ! exit from module
    PERFORM PHUPDFRM; ! personnel history update menu
    PUTFORM PHUPDFRM;
    GETFORM PHUPDFRM;
    WHILE ENTRYONE = " " DO ! check input
        PERFORM EROPHIST:
         PUTFORM EROPHIST;
         GETFORM EROPHIST:
    ENDWHILE:
    PERFORM "UPDRECRD.IPF" USING "\"PHISTORY\"", "ENTRYONE", \
         "PASCOND":
ENDWHILE; ! formans not blank
ENTRYONE = " ";
FORMANS = " "; ! places a plank at calling module prompt
RETURN:
```

```
/* PRPRTMEN.IPF (2.1) - Brings up the personnel reports menu */
                                                             */
/* Called by: REPRTMEN.IPF
/* Calls: PFUNDRPT.IPF, PHISTRPT.IPF, PRPRTFRM.IPF,
                                                            */
                                                             */
             ERRORFRM. IPF
                                                             */
                         15 Jan 86
/* Author: R. Booker
FORMANS = " ";
WHILE FORMANS NE "3" DO ! exit from module
    PERFORM PRPRTFRM;
                         ! personnel menu
    PUTFORM PRPRTFRM;
    GETFORM PRPRTFRM;
    WHILE NOT (FORMANS IN ["1", "2", "3"]) DO
        PERFORM ERRORFRM:
        PUTFORM ERRORFRM;
        GETFORM ERRORFRM;
    ENDWHILE:
    TEST FORMANS
         CASE "1": PERFORM "PFUNDRPT.IPF"; BREAK;
         CASE "2": PERFORM "PHISTRPT.IPF"; BREAK;
    ENDTEST;
ENDWHILE; ! formans = "3"
FORMANS = " "; ! places a blank at calling modules prompt
RETURN;
```

```
/* PURCHDLT.IPF (1.1.3.2)
                                                            */
                                                           */
/* Brings up the menu for the deletion of a record from
                                                           */
/* purchase table.
/* Called by: PURCHMEN.IPF
                                                           */
/* Calls: PUDELFRM.IPF, EROTVLEX.IPF, DELTREC1.IPF
                                                           */
/* Author: R. Booker 22 Jan 86
                                                            */
FORMANS = " ";
ENTRYONE = " "; ! entered from pudelfrm
PASCOND = 0; ! condition for deletion, no choice = 0
WHILE ENTRYONE = " " DO ! exit from module
    PERFORM PUDELFRM;
                      ! purchase deletion menu
    PUTFORM PUDELFRM;
    GETFORM PUDELFRM;
    WHILE ENTRYONE = " " DO ! check input
        PERFORM EROTVLEX; ! same error form as travel
        PUTFORM EROTVLEX;
                          ! expenses
        GETFORM EROTVLEX;
    ENDWHILE;
    PERFORM "DELTREC1.IPF" USING "\"PURCHASE\"", "ENTRYONE",\
        "PASCOND";
ENDWHILE; ! formans not blank
ENTRYONE = " ";
FORMANS = " "; ! places a blank at calling module prompt
RETURN;
```

```
/* PURCHMEN.IPF - Brings up the menu for purchase, and offers*/
/* (1.1.3)
                 the following options; browse the table,
/*
                   update, add, delete a record from it, or
                                                              */
/*
                   quit.
                                                              */
                                                              */
/* Called by: EXPENMEN.IPF
/* Calls: PURCHFRM.IPF, ERRORFRM.IPF, BRWTABLE.IPF,
                                                              */
/*
             PURCHUPD, CRTRECRD. IPF, PURCHDLT. IPF
                                                              */
/* Author: R. Booker
                            15 Jan 86
                                                              */
FORMANS = " ";
WHILE FORMANS NE "5" DO ! exit from module
    PERFORM PURCHFRM;
                                   ! purchase menu
    PUTFORM PURCHERM:
    GETFORM PURCHFRM;
    ! check input
    WHILE NOT (FORMANS IN ["1", "2", "3", "4", "5"]) DO
         PERFORM ERRORFRM;
         PUTFORM ERRORFRM;
         GETFORM ERRORFRM:
    ENDWHILE:
    TEST FORMANS
         CASE "1": PERFORM "3RWTABLE.IPF" USING "\"PURCHASE\"";
                   BREAK;
         CASE "2": PERFORM "PURCHUPD.IPF"; BREAK;
         CASE "3": PERFORM "CRTRECRD.IPF" USING "\"PURCHASE\"";
                   BREAK:
         CASE "4": PERFORM "PURCHDLT.IPF"; BREAK;
    ENDTEST:
ENDWHILE; ! formans = "5"
FORMANS = " ";! places a blank at calling module prompt
RETURN;
```

```
/* PURCHUPD.IPF - Brings up the menu for updating of the
                                                           */
/* (1.1.3.1) purchase table.
                                                           */
/* Called by: PURCHMEN.IPF
                                                           */
/* Calls: PUUPDFRM.IPF, EROTVLEX.IPF, UPDRECRD.IPF
                                                           */
/* Author: R. Booker 23 Jan 86
                                                           */
FORMANS = " ";
ENTRYONE = " "; ! the condition for an update, entered
                  ! from puupdfrm
PASCOND = 0; ! the field to search for the update;
                 ! 0 = no option
WHILE ENTRYONE = " " DO ! exit from module
                     ! purchase update menu
   PERFORM PUUPDFRM;
   PUTFORM PUUPDFRM;
   GETFORM PUUPDFRM:
   WHILE ENTRYONE = " " DO ! check input
        PERFORM EROTVLEX; ! same error form as travel
        PUTFORM EROTVLEX; ! expenses
        GETFORM EROTVLEX;
    ENDWHILE:
   PERFORM "UPDRECRD.IPF" USING "\"PURCHASE\"", "ENTRYONE", \
        "PASCOND";
ENDWHILE; ! formans not blank
ENTRYONE = " ":
FORMANS = " "; ! places a blank at calling module prompt
RETURN:
```

```
/* PURRTMEN.IPF - Brings up the requisition status/quarterly */
                                                             */
/* (2.2)
                 inventory reports menu
/* Called by: REPRTMEN.IPF
                                                             */
                                                             */
/* Also calls: PURRTFRM.IPF, ERRORFRM.IPF, REQUSRPT.IPF,
/*
                                                             */
                 INVENRPT. IPF
/* Author: R. Booker 15 Jan 86
                                                             */
FORMANS = " ";
WHILE FORMANS NE "3" DO ! exit from module
    PERFORM PURRTFRM; ! requisition status/quarterly inventory
    PUTFORM PURRTFRM; ! form
    GETFORM PURRTFRM;
    WHILE NOT (FORMANS IN ["1", "2", "3"]) DO
         PERFORM ERRORFRM;
         PUTFORM ERRORFRM:
         GETFORM ERRORFRM;
    ENDWHILE:
    TEST FORMANS
         CASE "1": PERFORM "REQUSRPT.IPF"; BREAK;
         CASE "2": PERFORM "INVENRPT.IPF"; BREAK;
    ENDTEST;
ENDWHILE; ! formans = "3"
FORMANS = " "; ! places a blank at calling modules prompt
RETURN:
```

ed bespective conservate encountry

```
/* REPRIMEN.IPF - Brings up the reports menu, and performs
                                                             */
                                                             */
                 either PRPRTMEN.IPF, PURRTMEN.IPF,
/* (2)
                                                             */
                 OUTSTRPT. IPF
/*
                                                             */
/* Called by: MAINMEN.IPF
/* Calls: REPRTFRM.IPF, ERRORFRM.IPF, PRPRTMEN.IPF,
                                                             */
                                                             */
             PURRTMEN. IPF, OUTSTRPT. IPF
/*
                                                             */
                                    15 Jan 86
/* Author: R. Booker
FORMANS = ^{n};
WHILE FORMANS NE "5" DO ! exit from module
    PERFORM REPRTFRM; ! reports menu
    PUTFORM REPRTFRM;
    GETFORM REPRTFRM;
    WHILE NOT (FORMANS IN ["1","2","4","5"]) DO
         PERFORM ERRORFRM;
         PUTFORM ERRORFRM;
         GETFORM ERRORFRM;
    ENDWHILE:
    TEST FORMANS
         CASE "1": PERFORM PRPRTMEN; BREAK;
         CASE "2": PERFORM PURRTMEN; BREAK;
        CASE "3": PERFORM BALACRPT; BREAK;
/*
         CASE "4": PERFORM OUTSTRPT; BREAK;
     ENDTEST;
 ENDWHILE; ! formans = "5"
 FORMANS = " "; ! places a blank at calling module's prompt
 RETURN;
```

```
*/
/* REQUSRPT.IPF (2.2.1)
                                                           */
/* This module prints the requisition status report.
/* Called by: PURRTMEN.IPF
                                                           */
                                                           */
/* Calls:
            TRPLDFRM. IPF
                       15 Jan 86
/* Author: R. Booker
                                                           */
PERFORM TRPLDFRM; ! Table and Report Loading form
PUTFORM TRPLDFRM;
E.LSTR = 50;
               ! Change string length to 30 characters.
E.OPRN = TRUE; ! Send output to printer.
E.PDEP = 62;
                     ! Change page depth to 62 lines.
E.PWID = 130;
                     ! Change page width to 130 character.
USE PURCHASE
                     ! Purchase table.
REPORT "REQUSRPT"
                  ! Report was created with K-Report.
FINISH PURCHASE
                ! Change all environment variables to their
E.LSTR = 15;
                  ! defaults.
E.OPRN = FALSE;
E.PDEP = 60;
E.PWID = 120;
FORMANS = " "; ! places a blank at calling module's prompt
RETURN:
```

```
/* TRAVLMEN.IPF - Brings up the menu for travel expenses,
/* (1.1.2) and offers the following options: browse the*/
/*
                 travel expense table, update, add or delete */
/*
                                                             */
                 a record from it.
                                                             */
/* Called by: EXPENMEN.IPF
/* Calls: TRAVFRM.IPF, ERRORFRM.IPF, BRWTABLE.IPF,
                                                             */
         TVLEXUPD. IPF, CRTRECRD. IPF, TVLEXDLT. IPF
                                                             */
                                                             */
/* Author: R. Booker 15 Jan 86
FORMANS = ";
WHILE FORMANS NE "5" DO ! exit from module
                           ! travel expenses menu
    PERFORM TRAVERM;
    PUTFORM TRAVERM:
    GETFORM TRAVFRM:
    ! check input
   WHILE NOT (FORMANS IN ["1", "2", "3", "4", "5"]) DO
        PERFORM ERRORFRM:
        PUTFORM ERRORFRM;
        GETFORM ERRORFRM:
    ENDWHILE:
    TEST FORMANS
         CASE "1": PERFORM "BRWTABLE.IPF" USING "\"TVLEXP\"";
                  BREAK:
         CASE "2": PERFORM "TVLEXUPD. IPF"; BREAK;
         CASE "3": PERFORM "CRTRECRD.IPF" USING "\"TVLEXP\"";
                  BREAK:
         CASE "4": PERFORM "TVLEXDLT.IPF"; BREAK;
    ENDTEST:
ENDWHILE:
                  ! formans = "5"
FORMANS = " "; ! places a plank at calling module prompt
RETURN:
```

```
*/
/* TVLEXDLT.IPF - Brings up the menu for the deletion of a
                                                           */
/* (1.1.2.2) record from the travel expenses table.
/* Called by: TRAVLMEN.IPF
                                                           */
                                                           */
/* Calls: TVDELFRM.IPF, EROTVLEX.IPF, DELTREC1.IPF
                                                           */
/* Author: R. Booker 22 Jan 86
FORMANS = " ";
ENTRYONE = " "; ! entered from tvdelfrm
PASCOND = 0; ! condition for deletion, no choice = 0
WHILE ENTRYONE = " " DO ! exit from module
   PERFORM TVDELFRM; ! travel expenses deletion menu
    PUTFORM TVDELFRM;
   GETFORM TVDELFRM;
   WHILE ENTRYONE = " " DO ! check input
        PERFORM EROTVLEX;
        PUTFORM EROTVLEX;
        GETFORM EROTVLEX;
    ENDWHILE;
    PERFORM "DELTREC1.IPF" USING "\"TVLEXP\"", "ENTRYONE", \
        "PASCOND";
ENDWHILE: ! formans not blank
ENTRYONE = " ";
FORMANS = " "; ! places a blank at calling module prompt
RETURN:
```

```
/* TVLEXUPD.IPF - Brings up the menu for updating of the
                                                           */
                                                           */
/* (1.1.2.1) travel expenses table.
                                                           */
/* Called by: TRAVLMEN.IPF
/* Calls: TVUPDFRM.IPF, EROTVLEX.IPF, UPDRECRD.IPF
                                                           */
/* Author: R. Booker 22 Jan 86
                                                           */
FORMANS = " ";
ENTRYONE = " "; ! the condition for an update, entered
                 ! from tvupdfrm
PASCOND = 0; ! the field to search for the update;
                 ! 0 = no option
WHILE ENTRYONE = " " DO ! exit from module
   PERFORM TVUPDFRM; ! travel expenses update menu
   PUTFORM TVUPDFRM;
   GETFORM TVUPDFRM;
   WHILE ENTRYONE = " " DO ! check input
        PERFORM EROTVLEX:
        PUTFORM EROTVLEX;
        GETFORM EROTVLEX:
    ENDWHILE;
    PERFORM "UPDRECRD. IPF" USING "\"TVLEXP\"", "ENTRYONE", \
        "PASCOND":
ENDWHILE; ! formans not blank
ENTRYONE = " ";
FORMANS = " "; ! places a blank at calling module prompt
RETURN:
```

```
/* UPDRECRD.IPF - This module updates a record in a table. */
/* Called by: INDIRUPD.IPF, OPTARUPD.IPF, PFUNDUPD.IPF,
                                                             */
/*
             PHISTUPD.IPF, PURCHUPD.IPF, TVLEXUPD.IPF,
                                                             */
/*
              OTHERUPD. IPF, INVENUPD. IPF
                                                             */
/* Calls:
             INDIRECT. IPF, OPTAR. IPF, PFUNDING. IPF,
                                                            */
/*
             PHISTORY.IPF, PURCHASE.IPF, TVLEXP.IPF,
                                                             */
/*
              OTHER.IPF, TABLDFRM.IPF, INVENTOR.IPF
                                                             */
/* Author: R. Booker
                                                             */
                             18 Jan 86
E.ICAS = TRUE; ! ignore case differences among string values
PERFORM TABLDFRM;
PUTFORM TABLDFRM;
TABLE = #A; ! passed from calling module
UPDATVAR = #B; ! the condition variable for the search
COND = #C;! the condition field for selecting records for update
TEST TABLE
    CASE "INDIRECT":
        USE INDIRECT;
        LOAD FROM INDIRECT; ! the indirect funds entry form
         IF COND = 1 THEN    ! browse on COSTCODE
             BROWSE INDIRECT FOR COSTCODE = UPDATVAR ALL \
                  WITH INDIRECT;
         ELSE
            IF COND = 2 THEN ! prowse on PRINCIPL
                  BROWSE INDIRECT FOR PRINCIPL = UPDATVAR ALL \
                       WITH INDIRECT:
            ENDIF;
         ENDIF;
         BREAK;
```

```
CASE "INVENTOR":
     USE INVENTOR;
    LOAD FROM INVENTOR; ! the inventory entry form
     IF COND = 1 THEN
                             ! browse on PA#
      BROWSE INVENTOR FOR PA# = UPDATVAR ALL \
               WITH INVENTOR;
     ELSE
         IF COND = 2 THEN ! browse on SERIAL#
               BROWSE INVENTOR FOR SERIAL# = UPDATVAR ALL \
                   WITH INVENTOR:
         ENDIF:
     ENDIF:
     BREAK;
CASE "OPTAR":
     USE OPTAR;
    LOAD FROM OPTAR; ! the OPTAR entry form

IF COND = 1 THEN ! browse on RECEIVED
          BROWSE OPTAR FOR RECEIVED = UPDATVAR ALL \
              WITH OPTAR;
     ELSE
          IF COND = 2 THEN ! browse on ENTRY
               BROWSE OPTAR FOR ENTRY = UPDATVAR ALL \
                    WITH OPTAR;
         ENDIF:
     ENDIF;
     BREAK;
```

```
CASE "OTHER":
    USE OTHER;
    LOAD FROM OTHER; ! the other funds entry form
     IF COND = 1 THEN
                           ! browse on COSTCODE
          BROWSE OTHER FOR COSTCODE = UPDATVAR ALL \
               WITH OTHER:
     ELSE
          IF COND = 2 THEN ! browse on PRINCIPL
               BROWSE OTHER FOR PRINCIPL = UPDATVAR ALL \
                   WITH OTHER;
          ENDIF;
     ENDIF:
    BREAK;
CASE "PFUNDING":
    USE PFUNDING:
    LOAD FROM PFUNDING; ! the personnel funding entry form
     IF COND = 1 THEN ! browse on LNAME
          BROWSE PFUNDING FOR LNAME = UPDATVAR ALL \
              WITH PFUNDING:
     ELSE
          IF COND = 2 THEN ! prowse on LABOR#
               BROWSE PFUNDING FOR LABOR# = UPDATVAR ALL \
                   WITH PFUNDING;
          ENDIF;
    ENDIF;
    BREAK:
CASE "PHISTORY":
    USE PHISTORY:
    LOAD FROM PHISTORY; ! the personnel history entry form
    BROWSE PHISTORY FOR LNAME = UPDATVAR ALL WITH PHISTORY;
    BREAK;
```

```
CASE "PURCHASE":
```

USE PURCHASE;

LOAD FROM PURCHASE; ! the purchase entry form

BROWSE PURCHASE FOR DOC# = UPDATVAR ALL WITH PURCHASE;

BREAK;

CASE "TVLEXP":

USE TVLEXP;

LOAD FROM TVLEXP; ! the travel expenses entry form BROWSE TVLEXP FOR DOC# = UPDATVAR ALL WITH TVLEXP; BREAK;

ENDTEST;

FINISH ALL;

FORMANS = " ";

RETURN;

APPENDIX J LIST OF TABLES

This appendix contains a list of the AS System's tables. Appendix C (the Data Dictionary) and the AS System's User's Manual contains additional information about the tables's fields. The inclosed information may be obtained by using KnowledgeMan's "show" command.

Table name : INDIRECT File name : INDIRECT.ITB Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP Creation Date : 02/25/86 Modification Date: 02/25/86 Number of Records :

Field: #MARK LOGIC

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Picture : (default)

Field : ENTRY NUM

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: STATUS STR 25 Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Picture: "%25r"

Field : PRINCIPL STR 20 Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Picture: "%20r"

Field: SPONSOR STR 40 Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP Picture: "%40r"

STR 130 Field: PROPOSAL Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Picture: "%130r"

Field: PERIOD STR 20 Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Picture: "%20r"

Field : ESTIMATE NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "\$ddddddd.dd"

Field: DEPTIC NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "\$ddddd.dd"

Field: MIPR# STR 15

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "%15r"

Field: REF# STR 25

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "%25r"

Field: AUTH NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "\$ddddddd.dd"

Field: COSTCODE STR 5

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "%5r"

Field: EXPIRE NUM

Read Access : ABCDEFGHIJKLNNOP

Write Access : ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: ICRECD NUM

Read Access: ABCDEFGHIJKLMNOP

Write Access : ABCDEFGHIJKLMNOP


Picture : "\$ddddd.dd"


Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP Picture: "%50r" Field: STAFFLBR NUM Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP Picture : "\$ddddd.dd" Field : ASAPPRO NUM Read Access: A..... Write Access : A..... Picture : "\$ddddd.dd" Field : DOC# STR 15 Read Access: A..... Write Access : A..... Picture: "%15r" Field: SEGMENT STR 6 Read Access : A..... Write Access : A..... Picture : "%6r" -----Field : SERIALS MUM Read Access: A..... Write Access : A..... Picture : "dddd-dddd"

STR 50

Field: REMARKS

Table name : INVENTOR File name : INVENTOR.ITB Read Access : A
Field: PA# STR 6 Read Access: A
Field: VENDOR STR 40 Read Access: A
Field: DESCRIPT STR 50 Read Access: A Write Access: A
Field: SERIAL# STR 12 Read Access: A Write Access: A
Field: PO# STR 9 Read Access: A Write Access: A
Field: COST NUM Read Access: A Write Access: A





Min Round

147

Field: RECEIVED NUM
Read Access: A
Write Access : A
Picture : "dd-dd-dd"
Field: ISSUE STR 25
Read Access : A
Write Access : A
Picture: "%25r"
Field: LOCATION STR 7
Read Access : A
Write Access : A
Picture: "%7r"

Table name : OPTAR File name : OPTAR.ITB

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP Creation Date : 02/25/86 Modification Date: 02/26/86 Number of Records :

Field: #MARK LOGIC

Read Access: ABCDEFGHIJKLMNOP Nrite Access : ABCDEFGHIJKLMNOP

Picture: (default)

Field : ENTRY NUM

Read Access : ABCDEFGHIJKLMMOP Write Access : ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: RECEIVED NUM

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field : AUTH NUN

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Picture : "\$dddddd.dd"

Field : TAUTH NUH

Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Picture : "\$dddddd.dd"

Field : ACTUAL NUM

Read Access : A..... Write Access : A.....

Picture : "\$dddddd.dd"

Field: TACTUAL MUM

Read Access : A.....

Nrite Access : A..... Picture : "\$dddddd.dd"

Field: DIFFER
Virtual field: ((ACTUAL - AUTH))
Read Access: A............

Picture : (default)

Field : TDIFFER

Virtual field : ((TACTUAL - TAUTH))

Read Access : A.....

Picture : (default)

Table name : OTHER
File name : OTHER.ITB

File name : OTHER.ITB
Read Access : ABCDEFGHIJKLMNOP
Write Access : ABCDEFGHIJKLMNOP
Creation Date : 02/25/86
Modification Date : 02/25/86
Number of Records : 6

Field: #MARK LOGIC

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : (default)

Field: ENTRY NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: STATUS STR 25

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "%25r"

Field: EXPIRE NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: PRINCIPL STR 20

Read Access: ABCDEFGHIJKLINOP

Write Access : A3CDEFGHIJKLMNOP

Picture: "320r"

Field: SPONSOR STR 35

Read Access : ABCDEFGHIJKLMNOP

Write Access : ABCDEFGHIJKLMNOP

Picture: "%35r"

Field: PROPOSAL STR 130

Read Access: ABCDEFGHIJKLMNOP

Write Access : ABCDEFGHIJKLMNOP

Picture: "%130r"

Field: COSTCODE STR 5
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

Picture: "%5r"

Field: AUTH NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "\$dddddd.dd"

Field: REMARKS STR 50

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "%50r"

Table name : PFUNDING

File name : PFUNDING.ITB

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP Creation Date: 02/27/86 Modification Date: 02/27/86 Number of Records: 314

Field: #MARK LOGIC

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : (default)

Field: ENTRY NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: LNAME STR 25
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

Picture: "%25r"

Field: FNAME STR 15
Read Access: ABCDEFGHIJKLMMOP
Write Access: ABCDEFGHIJKLMNOP

Picture: "%15r"

Field: FUNDFROM NUM

Read Access: ABCDEFGHIJKLHNOP Write Access: ABCDEFGHIJKLHNOP

Picture : "dd-dd-dd"

Field: FUNDTO NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "ad-dd-dd"

Field: DAYS STR 5

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "%5r"

Field : COSTCODE Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP Picture : "%5r" Field: AMOUNT NUM Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP Picture : "\$ddddd.dd" Field : LABOR# NUM Read Access: ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP Picture : "dd-dd-dd" Field: CODE STR 3 Read Access : A..... Write Access : A..... Picture : "%3r" Field: HOURS NUM Read Access : A..... Write Access : A..... Picture : "d" Field : RATE NUM Read Access: A..... Write Access : A..... Picture : "\$ddd.dd" -----Field: HRSWK NUM Read Access : A..... Write Access : A..... Picture : "dd"

STR 5

Table name : PHISTORY
File name : PHISTORY.ITB
Read Access : ABCDEFGHIJKLMNOP
Write Access : ABCDEFGHIJKLMNOP
Creation Date : 02/27/36
Modification Date : 02/27/86
Number of Records : 27

Field: #MARK LOGIC

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: (default)

THE PROPERTY OF THE PROPERTY O

Field: ENTRY NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: LNAME STR 25

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "%25r"

Field: FNAME STR 15

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "%15r"

Field: DOB NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: EFFECTIV NUM

Read Access: ABCDEFGHIJKLMNOP Nrite Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: STATUS STR 6

Read Access: ABCDEFGHIJKLANOP

Write Access : ABCDEFGHIJKLMNOP

Picture : "%6r"

Field: BILLET# STR 4

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "34r"

Field: JOBTITLE STR 30
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

Picture: "%30r"

Field: ES NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: MORKUNIT STR 10
Read Access: A3CDEFGHIJKLMNOP
Write Access: A3CDEFGHIJKLMNOP
Picture: "%10r"

Field: SUPERVSR STR 25
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

Picture: "325r"

Field: PD# STR 5

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "%5r"

Field: SERIES NUM

Read Access: ABCDEFGHIJKLNNOP Write Access: ABCDEFGHIJKLNNOP

Picture : "ddddd"

Field: GRADE NUM

Read Access : ABCDEFGHIJKLMNOP Write Access : ABCDEFGHIJKLMNOP

Picture : "dd"

Field: STEP NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd"

d Karanaa

Field: SALARY NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "\$ddddd.dd"

Field: HRSWK NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd"

Field: EXPIRE NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: REMARKS STR 100
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

Picture: "3100r"

Field : RATE

Virtual field: (((SALARY / 2087) * 3 * 1.30000)))

Read Access : ABCDEFGHIJKLMNOP

Picture: "\$ddd.dd"

Table name : PURCHASE
File name : PURCHASE.ITB
Read Access : ABCDEFGHIJKLMNOP
Write Access : ABCDEFGHIJKLMNOP
Creation Date : 02/11/36
Modification Date : 02/28/36
Number of Records : 268

Field: #MARK LOGIC

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : (default)

Field: ENTRY NUM

Read Access: ABCDEFGHIJKLMNOP Urite Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: DOC# STR 10
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP
Picture: "%10r"

Field : COSTCODE STR 5

Read Access: A3CDEFGHIJKLMNOP Write Access: A3CDEFGHIJKLMNOP

Picture : "35r"

Field: VENDOR STR 40
Read Access: A3CDEFGHIJKLHNOP
Vrite Access: A3CDEFGHIJKLHNOP

Picture: "340r"

Field: DESCRIPT STR 50
Read Access: A3CDEFGHIJKLHNOP
Write Access: A3CDEFGHIJKLHNOP
Picture: "%50r"

Field: STOCK# STR 20
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

Picture: "320r"

Field: ESTIMATE NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "\$ddddd.dd"

Field: PRIORITY NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd"

Field: RDD NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: CODE STR 3

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "33r"

Field: REQUESTR STR 25

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "%25r"

Field: PO# STR 9

Read Access : A3CDEFGHIJKLMNOP

Write Access : ABCDEFGHIJKLMNOP

Picture : "39r"

Field: RECEIVED NUM

Read Access : A3CDEFGHIJKLNNOP

Write Access: ABCDEFGHIJKLMNOP Picture: "dd-dd-dd"

Field : FIRM NUM

Read Access : ABCDEFGHIJKLMNOP

Arite Access : ABCDEFGHIJKLMNOP

Picture : "\$ddddd.dd"

Field: SERIAL# STR 12
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP
Picture: "%12r"

Field: PA# STR 17
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP
Picture: "%17r"

Field: ISSUE STR 25
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP
Picture: "%25r"

Field: LOCATION STR 7
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP
Picture: "%7r"

Field: REMARKS STR 50
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP
Picture: "%50r"

Field: QTY STR 3
Read Access: A............
Write Access: A............
Picture: "rrr"

Table name : TVLEXP
File name : TVLEXP.ITB

Read Access: A3CDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP
Creation Date: 02/28/86
Modification Date: 02/23/36
Number of Records: 133

Field: #MARK LOGIC

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : (default)

Field : DATEDEP NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: REQUESTR STR 20
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP

Picture: "%20r"

Field: LOCATION STR 25
Read Access: ABCDEFGHIJKL.1NOP
Write Access: ABCDEFGHIJKLMNOP

Picture: "%25r"

Field: CODE STR 3
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP
Picture: "%3r"

Field: ESTIMATE NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "\$dddd.dd"

Field: COSTCODE STR 5

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture: "%5r"

Field: DOC# STR 10
Read Access: ABCDEFGHIJKLMNOP
Write Access: ABCDEFGHIJKLMNOP
Picture: "%10r"

Field : ADVANCE NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP Picture: "\$ddd.dd"

Field: DATERET NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Field: CLAIM NUM

Read Access: ABCDEFGHIJKLHNOP Write Access: ABCDEFGHIJKLHNOP

Picture : "dd-dd-dd"

Field: FIRM NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "\$ddddd.dd"

Field: ENTRY NUM

Read Access: ABCDEFGHIJKLMNOP Write Access: ABCDEFGHIJKLMNOP

Picture : "dd-dd-dd"

Picture : "rrrrr"

VII. LIST OF REFERENCES

- Boehm, Barry W., <u>Software Engineering Economics</u>, pp. 37, Prentice Hall, 1981.
- Henderson, John and Ingraham, Robert, <u>Prototyping for DSS: A Critical Appraisal</u>, working paper, pp. 1, Department of Management, Florida State University, 1979.
- 3. Keen, Peter G.N. and Morton, Michael Scott, <u>Decision</u>
 <u>Support Systems: An Organizational Perspective</u>, pp. 214,
 Addison-Nesley Publishing Co., 1978.
- 4. Bennett, John L., edt, <u>Building Decision Support Systems</u>, pp. 151, Addison-Wesley, 1932.
- Naumann, Justus D. and Jenkins, A. Milton, "Prototyping: The New Paradigm for Systems Development," <u>MIS Quarter-ly</u>, pp. 29-43, September 1982.
- 6. Renner, Richard 3., <u>Information Requirements Analysis:</u>
 <u>An Application</u>, Master's Thesis, Naval Postgraduate School, Monterey, California, March 1984.
- 7. De Marco, T., <u>Structure Analysis and System Specification</u>, pp. 3, Prentice-Hall, 1979.
- 3. Ginzberg, Michael, A Process Approach to Management Science Implementation, Ph.D. Dissertation, pp. 1, M.I.T., 1975.
- 9. Earl, M.J., "Prototype Systems for Accounting, Information and Control," <u>Accounting, Organizations and Society</u>, pp. 3, March 1973.
- 10. Henderson, pp. 2.

VIII. BIBLIOGRAPHY

Alavi, Maryam, <u>User-Developed DSS: Steps Toward Quality Control</u>, paper presented at the NYU Symposium on Integrating Systems for End Users, New York, New York, 22-24 May 1985.

PARTICIPATE CANADAS ACCUMENT COM

Alavi, Maryam and Henderson, John C., "An Evolutionary Strategy for Implementing a Decision Support System," <u>Management Science</u>, v. 27, n. 11, pp. 1309-1323, November 1981.

Alavi, Maryam and Napier, Albert, "An Experiment in Applying the Adaptive Design Approach to DSS Development," <u>Information and Management</u>, v. 7, n. 1, pp. 21-28, February 1984.

Alter, Steven, "A Taxonomy of Decision Support Systems", Sloan Management Review, v. 19, n. 1, pp. 39-56, Fall 1977.

Alter, Steven, <u>Decision Support Systems: Current Practice</u> and <u>Continuing Changes</u>, Reading, <u>Massachusetts</u>, Addison-Wesley, 1980.

De, Prabuddha and Haseman, William D., "An Integrated Datapase Design for Accounting Systems," <u>Information Processing</u> & <u>Management</u>, v. 20, n. 4, pp. 507-518, 1934.

Denise, Richard M., "Technology for the Executive Thinker," Datamation, v. 29, n. 6, pp. 207-211.

Huber, G.P., "The Nature of Organizational Decision Making and the Design of Decision Support Systems," <u>MIS Quarterly</u>, v. 5, n. 2, pp. 1-10, June 1931.

Keen, Peter G.N., "Computer-Based Decision Aids: The Evaluation Problem," <u>Sloan Management Review</u>, v.16, no. 3, pp. 17-29, Spring 1975.

Keen, Peter G.N., "DSS: An Executive Mind-Support System," Datamation, v. 25, n. 12, pp. 117-122, November 1979.

Keen, Peter G.N., "Decision Support Systems: Translating Analytic Techniques into Useful Tools," Sloan Management Review, v. 21, n. 3, pp. 33-44, Spring 1930.

Keen, Peter G.W., "Value Analysis: Justifying Decision Support Systems," MIS Quarterly, v. 5, n. 1, pp. 1-15, March 1981.

Kingston, Paul L., "Generic Decision Support Systems," Managerial Planning, v. 29, n. 5, pp. 7-11, March/April 1981.

Lasden, Martin, edt., "Computer-Aided Decision-Making," Computer Decisions, pp. 156-172, November 1982.

Lasden, Martin, edt., "Enriching the Decision-Making Process," Computer Decisions, pp. 244-258, November 1983.

Mann, R.I., "A Contingency Model for User Involvement in DSS Development," MIS Quarterly, v. 8, n. 1, pp. 27-38, pp. 27-38, March 1984.

McCosh, A.M., Rahman, M. and Earl, M.J., <u>Developing Managerial Information Systems</u>, Halsted Press, 1981.

Patel, Has, "How to Upgrade a DBMS," <u>Datamation</u>, v. 27, n. 10, pp. 127-132, September 1981.

Radhakrishan, T., Grossner, C. and Benoliel, M., "Design of an Interactive Data Retrieval System for Casual Users," <u>Information Processing & Management</u>, v.13, n. 1, pp. 23-32, 1982.

Rogers, G. R., "A Simple Architecture for Consistent Application Program Design," <u>IBM Systems Journal</u>, v. 22, n. 3, pp. 199-213, 1983.

Spraque, R.H., "A Framework for the Development of Decision Support Systems," MIS Quarterly, v. 4, n. 4, December 1979.

Vierck, R.K., "Decision Support Systems: An MIS Manager's Perspective," <u>MIS Quarterly</u>, v. 5, n. 4, pp. 35-48, December 1981.

Melsch, Jemma M., "Successful Implementation of Decision Support Systems: The Role of the Information Transfer Specialist," American Inst. for Decision Sciences, pp. 205-203, November 1981.

INITIAL DISTRIBUTION LIST

		No. Copies
1.	Defense Technical Information Center Cameron Station Alexandria, Virginia 22304-6145	2
2.	Library, Code 0142 Naval Postgraduate School Monterey, California 93943-5002	2
3.	Computer Technology Programs, Code 37 Naval Postgraduate School Monterey, California 93943-5000	2
4.	Department Chairman, Code 54 Naval Postgraduate School Monterey, California 93943-5004	1
5.	Beth Buttles-Miller, Code 54 Naval Postgraduate School Monterey, California 93943-5004	2
6.	Assistant Professor Tung Bui, Code 54BD Naval Postgraduate School Monterey, California 93943-5004	1
7.	Professor Norman F. Schneidewind, Code 54SS Naval Postgraduate School Monterey, California 93943-5004	2
3.	CAPT Ronald L. Booker, USMC 4115 Carozza Court Temple Hills, Maryland 20743	1